

Row Labels	Count of author
<b>A. Otter</b>	<b>113</b>
88-K12 - LAMPF type stranded magnet cable (Rev. 1 Mr/89)	1
88-K18 - A prototype for the Booster Dipole magnet	1
88-K57 - Conceptual design for a D-ring orbit correction dipole	1
90-K121 - Procurement of KAON factory magnets	1
93-K227 - Constant current density ac corrector multipoles	1
93-K237 - Cross talk between multipole corrector windings	1
TRI-DN-70-09 - Magnet sizes comparison data	1
TRI-DN-70-11 - Magnet and power supply costing data	1
TRI-DN-70-15 - Permeability of 304", " 316 and 316 ELC stainless steels	1
TRI-DN-70-25 - Septum magnet initial concept	1
TRI-DN-70-37 - Evaluation of main coil intersegment connections	1
TRI-DN-70-38 - Tie rod attachment effect of larger counterbore	1
TRI-DN-70-39 - Alternative tie rod attachment. Effect of spotfacing	1
TRI-DN-70-52 - Magnet pole shims - stud redesign	1
TRI-DN-70-55 - Harmonic coil design reevaluation & comparison	1
TRI-DN-70-56 - Trim coil redesign	1
TRI-DN-70-57 - Heat transfer evaluation of cooling (heating) coil attachment	1
TRI-DN-70-61 - Centre region model - trim & harmonic coils	1
TRI-DN-70-63 - Main coil welding tests	1
TRI-DN-70-64 - Trim & harmonic coil insulation resistance	1
TRI-DN-70-67 - Trim & harmonic coils - dimensions after flattening	1
TRI-DN-71-19 - Dimensional accuracy of cyclotron components	1
TRI-DN-71-26 - Main magnet shims -- tolerances and dimensions	1
TRI-DN-71-27 - Radiation effects on lubricating grease	1
TRI-DN-71-28 - A second review of main magnet stud design	1
TRI-DN-71-30 - Main magnet bus and coil faults	1
TRI-DN-72-01 - Trim & harmonic coil power supply ratings	1
TRI-DN-72-13 - Beam line 1 - 19.8 deg bend preliminary design	1
TRI-DN-72-14 - Steering magnets for beam line 1	1
TRI-DN-72-24 - Beam line 4 - 35o bending magnet - preliminary design	1
TRI-DN-72-26 - 35 deg bend", " beam line IV AB	1
TRI-DN-72-27 - 12 inch quadrupole for M8 & M9	1
TRI-DN-72-28 - Coil design 25 deg bend beam line 4 A/B	1
TRI-DN-73-05 - Supplementary magnet coils	1
TRI-DN-73-06 - Main magnet power supply - replacement for input transformer	1
TRI-DN-73-07 - Medical facility 45 deg bend - design similar to LAMPF	1
TRI-DN-73-25 - P. Area 10 $\mu$ A beam dump thermocouple installation and cost	1
TRI-DN-73-26 - BZ & BR correction coils for main magnet	1
TRI-DN-73-31 - Vault beam line magnet cooling loads	1
TRI-DN-74-02 - Magnet power supply grounds	1
TRI-DN-74-03 - Designations of magnet types	1
TRI-DN-74-04 - Beam line component nomenclature	1
TRI-DN-74-07 - Beam line 1 8" steering magnet	1
TRI-DN-74-13 - Bending magnet installation - offset	1

TRI-DN-74-18 - Beam line 4A and 4B quadrupole cable ratings	1
TRI-DN-74-19 - Extension of Cu A.L.C.W. into 'P' area (Jun/Jul)	1
TRI-DN-74-20 - Cu L.C.W. P area loads	1
TRI-DN-74-22 - Additions to circuit in Service Annex - Level 264	1
TRI-DN-74-25 - Vacuum chamber exit horn deflections due to vacuum	1
TRI-DN-74-27 - Experimental beam lines", " magnets and power supplies	1
TRI-DN-74-29 - Cu L.C.W. extension into meson area	1
TRI-DN-74-35 - New 'Patricia Jane' magnet coils	1
TRI-DN-74-39 - Dipole interlocks for hard wired safety system	1
TRI-DN-75-05 - 'C' seals for proton beam line vacuum couplings	1
TRI-DN-75-11 - A quadrupole for beam line 1 extension to TNF	1
TRI-DN-76-12 - Cost of beam line services	1
TRI-DN-76-16 - Strength of mylar films used as circular vacuum windows	1
TRI-DN-76-18 - Beam line 1 extension collimator concept for T2	1
TRI-DN-76-19 - Extensions to meson area CuALCW -- 1977	1
TRI-DN-76-20 - Upgrading the radiation hard quadrupole design from 8QN16M/7 to 8QN16M/9	1
TRI-DN-77-01 - Extensions to meson area electrical loads	1
TRI-DN-77-02 - Modifications to PLA magnet for first dipole on Peanuts line 1B	1
TRI-DN-77-04 - Cables for beam line 1 extension quadrupoles	1
TRI-DN-77-11 - Beam line & extension beam pipe dimensions	1
TRI-DN-77-12 - Helium cooled windows for BL1 extension	1
TRI-DN-78-08 - Corvallis magnet modifications	1
TRI-DN-78-10 - 3rd beam line for Hi-flux muon channel	1
TRI-DN-79-20 - Comments on installing a beam line 2A	1
TRI-DN-80-02 - RF separator magnet winding	1
TRI-DN-80-07 - Discovery spectrometer design data	1
TRI-DN-80-08 - A steering magnet for beam line 2C	1
TRI-DN-80-11 - "Small 10" combination magnet for beam line 2A	1
TRI-DN-80-13 - A 2T.m spin precession dipole	1
TRI-DN-81-13 - M20 separator", " magnetic field coils	1
TRI-DN-81-15 - M20 B2 modifications	1
TRI-DN-82-09 - Cost of magnets and power supplies versus size 1980-82	1
TRI-DN-82-24 - A six inch quadrupole for M15 606/1.2	1
TRI-DN-83-01 - "Small 5" combination magnet for 2A	1
TRI-DN-83-07 - Designation of magnet types (revision to TRI-DN-74-3)	1
TRI-DN-83-10 - A low field 12 inch quadrupole for M15 Q15-Q17	1
TRI-DN-83-11 - M15 Q1/Q2 rad-hard winding	1
TRI-DN-83-22 - Experiment 208 "C" magnet	1
TRI-DN-83-24 - M13Q1 upgrade	1
TRI-DN-83-41 - B-H curve for an ASTM A36 steel	1
TRI-DN-84-02 - 42 MeV switcher	1
TRI-DN-84-09 - M15 magnet procurement and costs	1
TRI-DN-84-16 - B-H curves beyond saturation	1
TRI-DN-84-18 - Chicago quad	1
TRI-DN-84-20 - (p-n)(n-p) magnet coil power and cooling	1
TRI-DN-84-60 - Two quick and simple quads for a MUSOL experiment	1

TRI-DN-84-64 - CSC magnet	1
TRI-DN-85-01 - A radiation hard 4 in. quad for ISOL	1
TRI-DN-85-08 - A steering dipole for experiment 208	1
TRI-DN-85-20 - HERA 30o dipole	1
TRI-DN-85-21 - HERA quadrupole	1
TRI-DN-85-31 - HERA quadrupole coils	1
TRI-DN-86-08 - 6 in. "C" steerer for longitudinal polarization	1
TRI-DN-86-09 - A double steerer for longitudinal polarization	1
TRI-DN-86-12 - A 10 in. narrow quad for M9Q1	1
TRI-DN-86-19 - +/-52.5o dipole for M9	1
TRI-DN-86-30 - M9 upgrade - modification to M9B1	1
TRI-DN-87-01 - Proposed DASS/SASP clamshell dipole	1
TRI-DN-88-02 - SASP vacuum chamber stress and deflections	1
TRI-DN-88-04 - Modifications to PACMAN	1
TRI-DN-88-08 - SASP dipole - bolting", lifting and turning loads	1
TRI-DN-92-15 - SASP Q1 intercoil conductors	1
TRI-DN-92-19 - A 4.7 Tm snake solenoid for the partial Siberian Snake experiment at the Brookhaven AGS	1
TRI-DN-94-03 - Magnet cost data review	1
TRI-DN-94-14 - An electron suppression ring dipole magnet for parity	1
TRI-DN-94-29 - M20 splitter septum engineering calculations	1
TRI-DN-95-32 - CERN BV benders upgraded for 1.4 GeV pulsed operation	1
TRI-DN-96-01 - CERN BV benders -- OPER-2D calculations	1
TRI-DN-96-13 - Prototype permanent magnet dipoles for the Terry Fox Laboratory	1
<b>G.M. Stinson</b>	<b>93</b>
TRI-DN-74-38 - Temperature data on 11 kW power supply S/N 7077 and 7080	1
TRI-DNA-00-01 - A revised conceptual design for a 15° switching dipole for beam line 2A	1
TRI-DNA-00-02 - On the production of a hollow beam spot at the beam line 2A target	1
TRI-DNA-00-03 - Generic B-I and I-B fits to measured MEBT and HEBT quadrupole B-I data	1
TRI-DNA-01-01 - A design for an AC steering magnet for beam line 2A	1
TRI-DNA-01-02 - A study of additional proton beam lines to the ISAC building	1
TRI-DNA-01-03 - An alternate design for an AC steering magnet for beam line 2A	1
TRI-DNA-01-04 - A preliminary study of beam transport to the ISAC-II experimental area	1
TRI-DNA-01-05 - Predicted operating parameters of the beam line 2A switching magnet	1
TRI-DNA-02-01 - A possible revision of the ISAC1 to ISAC2 transfer line	1
TRI-DNA-02-02 - Conceptual designs for dipoles in the ISAC1 to ISAC2 transfer line -- H-frame design	1
TRI-DNA-02-03 - Conceptual designs for dipoles in the ISAC1 to ISAC2 transfer line -- Arc-shaped design	1
TRI-DNA-02-04 - Conceptual design for a C-frame dipole for the ISAC1 to ISAC2 transfer line	1
TRI-DNA-03-01 - On the use of existing magnets during the initial operation of the ISAC-II experimental	1
TRI-DNA-03-02 - Further studies of additional proton beamlines to ISAC	1
TRI-DNA-04-01 - A revision of the beam transport to the ISAC-II experimental area	1
TRI-DNA-04-02 - Beam transport from the medium $\beta$ exit to beam transport to the ISAC-II experimental	1
TRI-DNA-04-03 - An additional beamline in the ISAC-II experimental area	1
TRI-DNA-04-04 - A conceptual design for an H-frame dipole for the CSB beamline of ISAC	1
TRI-DNA-04-05 - A further revision of the beam transport to the ISAC-II experimental area	1
TRI-DNA-05-01 - Present status of the beam transport to the ISAC-II experimental area	1
TRI-DNA-05-02 - Conceptual design for a 'Stinson' Mark 2 x-y steering magnet for the ISAC--II HEBT bea	1

TRI-DNA-05-03 - Delivery of singly-charged beams to the ISAC-II experimental area	1
TRI-DNA-06-01 - Specification of quadrupoles for the SEBT, SEBT3, and SEBT3A/B beam lines of ISAC--II	1
TRI-DNA-07-01 - Further measurements of the properties of the ANAC ac steering magnets	1
TRI-DNA-08-01 - Updated calculation for beam line 4A	1
TRI-DNA-08-02 - Conceptual design for a solenoid for the LEBT of the electron accelerator	1
TRI-DNA-09-01 - Conceptual designs for 45° H-frame dipoles for the Electron Beam Line	1
TRI-DNA-09-02 - Conceptual designs for 30° H-frame dipoles for the Electron Beam Line	1
TRI-DNA-73-02 - An analogue study of vacuum requirements on Beam Line IV	1
TRI-DNA-82-01 - An alternate mode of operation for beam line 4A	1
TRI-DNA-82-02 - Solenoids as Beam Twisters	1
TRI-DNA-82-03 - Window positioning and effect on beam spots on beam line 1A	1
TRI-DNA-82-04 - A preliminary study of beam transport to the south experimental hall	1
TRI-DNA-82-05 - A six-quadrupole twister for beam line 4B	1
TRI-DNA-83-01 - REVMOC studies of beam spill on beam line 4B	1
TRI-DNA-83-02 - The M11 pion channel - revisitation #1	1
TRI-DNA-83-03 - Dispersion matching with a six-quadrupole twister	1
TRI-DNA-83-04 - A study of beam spill on beam line 4B with thick targets at 4BT2	1
TRI-DNA-83-05 - Preliminary study of beam transport for (p,n) studies at 4BT2	1
TRI-DNA-83-06 - A study of beam spill on beam line 4B with thick targets at 4BT1	1
TRI-DNA-83-07 - Longitudinal polarization on beam line 4B - I	1
TRI-DNA-83-08 - Longitudinal polarization on beam line 4B - II	1
TRI-DNA-83-09 - A course in beam optics	1
TRI-DNA-84-01 - Polarization measurements with low-energy deuterons (G. Roy)	1
TRI-DNA-84-02 - Spin precession (G. Roy)	1
TRI-DNA-84-03 - Longitudinal polarization on beam line 4B part III	1
TRI-DNA-84-04 - Longitudinal polarization on beamline 1-B	1
TRI-DNA-86-01 - The Effect of the SDSD System on General Polarization	1
TRI-DNA-86-03 - Longitudinal polarization at 230 MeV on beam line 4A	1
TRI-DNA-87-02 - A deuteron beam on beamline 1B-theory and practice	1
TRI-DNA-88-01 - Operation with quadrupole failure on beam line 1A	1
TRI-DNA-90-01 - Polarized beam in the KAON experimental area.	1
TRI-DNA-90-02 - Possible areas for the relocation of the parity experiment	1
TRI-DNA-90-21 - An improved Wien filter for OPPIS (G. Roy et al.)	1
TRI-DNA-91-04 - Design of 12° dipole for parity	1
TRI-DNA-92-03 - A preliminary study of the proton therapy beamline 2B	1
TRI-DNA-93-01 - Beamline 1A colimators A and B revisited - deja vu (all over again)	1
TRI-DNA-94-03 - A summary of optical calculations for the upgraded TISOL facility	1
TRI-DNA-94-04 - Optical design of beamline 4A2 (the Parity beamline)	1
TRI-DNA-94-05 - An optical design for beamline 2A beam transport to a radioactive beam facility	1
TRI-DNA-95-01 - A revision of the beamline 2A beam transport to a Radioactive Beam Facility	1
TRI-DNA-95-02 - A 400 MeV to 500 MeV beamline 2A beam transport system to a Radioactive Beam Facility	1
TRI-DNA-95-03 - Partial longit polarization with an SDSD system	1
TRI-DNA-95-04 - Predicted beam sizes at the TNF target	1
TRI-DNA-95-05 - Preliminary designs for 30° dipoles for beamline 2A	1

TRI-DNA-95-07 - Revised designs for 30° dipoles for beamline 2A	1
TRI-DNA-96-01 - Revised designs for the vault dipoles on beamline 2A	1
TRI-DNA-96-02 - A conceptual design for 30° switching dipole for beamline 2A	1
TRI-DNA-96-03 - Conceptual design for the 15° dipoles on beamline 2A	1
TRI-DNA-96-04 - A conceptual design for 15° switching dipole for beam line 2A	1
TRI-DNA-96-05 - A 480 MeV to 500 MeV beam transport system to an ISAC Facility	1
TRI-DNA-96-06 - A revised design for the 27.5° dipoles for beam line 2A	1
TRI-DNA-96-07 - A design for the quadrupoles for beam line 2A	1
TRI-DNA-96-08 - The effect of a window upstream of a target on beam line 2A	1
TRI-DNA-96-09 - A revision of the 480 MeV to 500 MeV beam transport system to a ISAC Facility	1
TRI-DNA-96-10 - A revised conceptual design for the 15° dipoles on beamline 2A	1
TRI-DNA-97-01 - A design for short quadrupoles for the ISAC MEBT beam line	1
TRI-DNA-97-02 - Extraction data for beam line 2A	1
TRI-DNA-97-03 - Conceptual design for the MEBT dipoles	1
TRI-DNA-97-04 - The effect of windows upstream of the target on the beam size at the beam line 2A target	1
TRI-DNA-98-01 - Revised extraction data for beam line 2A	1
TRI-DNA-98-02 - Further revision of the optical design of beam line 2A	1
TRI-DNA-98-04 - A conceptual design for the 4-inch diameter quadrupoles for the DRAGON facility	1
TRI-DNA-98-05 - A conceptual design for the 6-inch diameter quadrupoles for the DRAGON facility	1
TRI-DNA-98-06 - A further study of the design of quadrupoles for the DRAGON facility	1
TRI-DNA-98-07 - A Simple 6-inch x-y steerer for the DRAGON facility	1
TRI-DNA-99-01 - A final design for a 6-in. x-y steerer for the DRAGON facility	1
TRI-DNA-99-02 - A design for a 4-in. x-y steerer for the MEBT beam line	1
TRI-DNA-99-03 - Calculation of the pole profile for quadrupole Q2 of the DRAGON facility	1
TRI-DNA-99-04 - MEBT quadrupole measurements and computed losses of unaccelerated beam	1
TRI-DNA-99-05 - A design for trim quadrupoles for the HEBT of ISAC	1
TRI-PNA-75-01 - Design of a 50° magnet for 500 MeV protons	1
<b>S. Koscielniak</b>	<b>57</b>
90-K166 - Injection transient compensation in the collector	1
93-K228 - Feasibility of tuning the KAON racetrack synchrotrons	1
93-K239 - Coherent and Incoherent Bucket for a Beam Loaded RF System	1
TRI-DN-00-01 - Automated multiple self-convolution of functions using the Tchebychev-Hermite asymp	1
TRI-DN-00-09 - Resonant excitation of synchrotron motion by harmonic waveform with fixed frequency	1
TRI-DN-00-11 - Slip factor expansions for LONG1D	1
TRI-DN-00-12 - Exact finite difference equations for the longitudinal motion of an electron beam in a sy	1
TRI-DN-00-14 - Modelling quantum excitation of the longitudinal motion of an electron beam in a synch	1
TRI-DN-00-30 - Longitudinal space-charge geometric factor for an elliptical beam in a confocal vacuum p	1
TRI-DN-01-01 - Longitudinal simulations of 25 MHz micro-bunching in the Brookhaven AGS	1
TRI-DN-01-15 - Preliminary longitudinal dynamics studies of a muon beam in a 6-20 GeV non-scaling FF	1
TRI-DN-01-25 - SLEX-LONG1D user's guide	1
TRI-DN-02-05 - Simple particle-beam-loading analysis of the 25 and 100 MHz radiofrequency cavities fo	1
TRI-DN-02-06 - Multiple radio-frequency schemes for acceleration of muons in a non-scaling FFAG	1

TRI-DN-02-14 - Response of cavity voltage amplitude and phase to sinusoidal modulations of the resonator	1
TRI-DN-02-19 - High frequency", " short bunch width", " slow extraction for KOPIO	1
TRI-DN-03-11 - Graphical summary of results of longitudinal particle tracking for a 6-20 GeV nonscaling	1
TRI-DN-03-13 - Phase-space trajectories and periods of motion for the quadratic pendulum	1
TRI-DN-05-11 - AVF and FFAG accelerators -- past", " present and future	1
TRI-DN-05-12 - Range and width", " dwell time", " acceleration efficiency", " and normalized dispersion function	1
TRI-DN-05-13 - Conditions for equal betatron tunes in periodic thick lens systems	1
TRI-DN-05-14 - Kick models for linear-field FFAGs	1
TRI-DN-05-17 - Response of harmonic oscillator with linear-time-varying natural frequency to driving force	1
TRI-DN-05-18 - Analysis of rapid betatron resonance crossing	1
TRI-DN-05-27 - Method to set transverse momentum of linear-field", " non-scaling FFAG equal to the longitudinal	1
TRI-DN-05-28 - Influence of sextapoles on controlling chromaticity in linear-field non-scaling FFAGs	1
TRI-DN-05-29 - Minimum cost lattices for non-scaling linear-field FFAGs modelled by thin elements	1
TRI-DN-06-04 - Formulae for off-momentum closed orbits and path length in lattice cells containing sectors	1
TRI-DN-07-12 - Large-amplitude motion in quadrupole magnet	1
TRI-DN-07-13 - Analytic models for quadrupole fringe-field effects	1
TRI-DN-07-15 - Fringe-field effects for dipole and quadrupole magnets with rotated pole faces	1
TRI-DN-07-16 - Basic models of quadrupoles in vector fields OPERA-3D	1
TRI-DN-08-11 - Concept for a joint RIB fission driver and ERL-based IR-photon source at TRIUMF	1
TRI-DN-87-23 - A note on phase-space painting	1
TRI-DN-87-24 - Longitudinal dynamics studies of the TRIUMF booster - with space charge	1
TRI-DN-88-16 - A tutorial on the stability of phase and radial feedback loops	1
TRI-DN-88-34 - Computer simulations of beam loading	1
TRI-DN-89-29 - A note on generating starting ensembles	1
TRI-DN-93-34 - Optimization of shunt resistance for a rod type RFQ	1
TRI-DN-93-35 - Even-odd mode transmission line model of rod type RFQ	1
TRI-DN-94-09 - Radio frequency beam loading of TR30 cyclotron	1
TRI-DN-95-01 - GENRFQ at TRIUMF	1
TRI-DN-95-02 - Matching section between RFQ and DT-LINAC for the TRIUMF ISAC project	1
TRI-DN-95-03 - Revised matching section between RFQ and DT-LINAC for the TRIUMF ISAC project	1
TRI-DN-95-04 - Design history of the ISAC RFQ (revised)	1
TRI-DN-95-27 - RFQ-type buncher with zero transverse focusing for TRIUMF ISAC	1
TRI-DN-95-28 - A design for LEBT from RFQ-buncher to RFQ-accelerator for TRIUMF ISAC	1
TRI-DN-95-31 - Brief history of RFQ beam dynamics investigation with higher order potential function	1
TRI-DN-96-02 - From Maxwell's equations for a cavity resonator to a parallel LCR circuit using simple maths	1
TRI-DN-96-03 - Subtleties of the equation for longitudinal synchrotron oscillations and detailed derivation of the envelope equation	1
TRI-DN-96-07 - Vane profiles in the radial matching section of the ISAC RFQ	1
TRI-DN-97-23 - Observations on betatron collimation and the effect of tune splitting", " with reference to the LHC	1
TRI-DN-98-08 - BTF-FAST2: A program to calculate longitudinal bunched-beam transfer functions	1
TRI-DN-98-13 - New longitudinal space charge algorithm	1
TRI-DN-99-13 - Computer simulation of single harmonic bunch flattening by high-harmonic phase space displacement acceleration on an un-bunched beam in the PS booster	1

TRI-DN-99-14 - Computer simulation of dual harmonic bunch flattening by high-harmonic phase space displacement acceleration on an un-bunched beam in the PS booster	1
TRI-DN-99-25 - Transfer functions of hollow bunches	1
<b>G.S. Clark</b>	<b>52</b>
TRI-DN-00-18 - Concept design of the 2A 15o switching dipole	1
TRI-DN-00-19 - Three dimensional field calculations for the ISAC HEBT trim quad	1
TRI-DN-01-04 - Analyses of lamination measurements for CERN's twin aperture quadrupoles	1
TRI-DN-01-05 - A Wien filter for TRIUMF's beta-NMR experiment	1
TRI-DN-01-11 - Concept design of a Helmholtz coil pair for the ISAC polarimeter station	1
TRI-DN-02-01 - Concept design of a water cooled AC steering magnet for beam line 2A (revised Mar 3)	1
TRI-DN-02-07 - A charge selector dipole for ISAC's charge state booster	1
TRI-DN-02-17 - Concept design of a 1.8-inch x-y steerer for ISAC-II (Rev.2)	1
TRI-DN-02-18 - Magnet measurements of the M8 charge selector dipole	1
TRI-DN-02-20 - Magnetic shield studies for the ISAC-II medium beta cryo-module	1
TRI-DN-03-04 - A concept design for the ISAC-II HEBT (S-Bend) dipole	1
TRI-DN-04-12 - A concept design for a new M11 septum dipole	1
TRI-DN-04-19 - Special iron shielding block 2MC26	1
TRI-DN-04-20 - Special iron shielding block 2MC27	1
TRI-DN-05-08 - The M20 Q1Q2 lifting bridge (Rev.1)	1
TRI-DN-05-09 - Lifting the M20 VA1 valve (Rev. 2)	1
TRI-DN-07-17 - Relief valve sizing for the M9 separator pressure vessels	1
TRI-DN-08-12 - MB78 steel shielding block concept design (Rev. 1)	1
TRI-DN-08-14 - Concept design of lifting bars to lift poured-in-place shielding (Rev. 2)	1
TRI-DN-82-18 - Combination magnet bottom coil repair - beam line 1&4	1
TRI-DN-83-54 - M20 improvements radiation exposure report	1
TRI-DN-83-55 - M20 improvements cost report	1
TRI-DN-84-14 - A new spreader beam for lifting 30-foot concrete beams	1
TRI-DN-84-36 - A half-quad support concept	1
TRI-DN-87-29 - Indium flanges	1
TRI-DN-88-35 - M9 improvements costs	1
TRI-DN-88-44 - M9 upgrade radiation exposure report	1
TRI-DN-91-01 - SASP dipole vacuum chamber calculations	1
TRI-DN-91-12 - The 1A triplet repair of November 29 -- December 6", " 1991	1
TRI-DN-92-03 - Replacement high temperature pressure vessel for Dr. Fleming	1
TRI-DN-92-04 - SASP hoist beam	1
TRI-DN-92-05 - Lead sheet support frame (Revision I)	1
TRI-DN-93-18 - CHARGEX clean-up QUAD support II (revised 1996)	1
TRI-DN-93-19 - A long reach lifting beam	1
TRI-DN-93-28 - CHARGEX dipole stand II	1
TRI-DN-93-30 - Hoist rail for 1B pit	1
TRI-DN-93-33 - CHARGEX dipole stand III	1
TRI-DN-94-06 - M8 shielding -- a conceptual redesign	1
TRI-DN-95-14 - Heat transfer calculations for a re-entrant indirect ISAC-1 target heater	1
TRI-DN-96-04 - Mechanical stress calculations for the BT/BI quadrupole for CERN - revision 3	1
TRI-DN-96-08 - Concept design for the ISAC-2 test stand dipole	1
TRI-DN-96-20 - Mechanical calculations for the TRIUMF/CERN BV1 bender	1
TRI-DN-96-24 - Concept design for the beam line 2A B1/B2 dipole (revision 3)	1

TRI-DN-96-25 - Mechanical calculations for the TRIUMF/CERN BV2 bender	1
TRI-DN-98-03 - Concept design of the ISAC MEBT 45o dipole magnet	1
TRI-DN-98-10 - Concept design of the Dragon separator MD2 dipole magnet	1
TRI-DN-98-12 - Concept design of the Dragon separator MD1 dipole magnet	1
TRI-DN-98-17 - Smit-Elma quads for the Dragon separator	1
TRI-DN-98-18 - Vacuum to oil tank conversion	1
TRI-DN-99-09 - Concept design of the ISAC DTL triplet Q2 quadrupole	1
TRI-DN-99-10 - Concept design of the ISAC DTL triplet Q1/3 quadrupole	1
TRI-DN-99-33 - The suitability of existing Helmholtz coils for use at TRIUMF in muon spin research	1
<b>R. Baartman</b>	<b>36</b>
88-K40 - Synchrotronbetatron resonance driven by dispersion in rf cavities: a revised theory	1
88-K46 - Optical effects of tuner solenoids	1
88-K67 - [Stability during slow extraction in the Moscow Meson Factory storage ring] -(Ved November 1	1
90-K120 - Symplectifying the case where transver <sup>~</sup> J,1W@-is-a::-function of rf phase	1
90-K133 - The betatron phase shift approximation for simulations with transverse space charge	1
90-K163 - Longitudinal and transverse tune shift form factors for the binomial family of distributions	1
91-K200 - New Booster scenarios	1
92-K206 - Form factor g in longitudinal space charge impedance	1
92-K207 - Allowed narrow-band impedance in the SSC LEB	1
92-K217 - Synchro-betatron resonance due to rf cavity asymmetry	1
93-K226 - Efficient numerical technique to find bucket parameters	1
TRI-DN-02-08 - Improving the understanding of CERN ISOLDE optics	1
TRI-DN-05-06 - Linearized equations of motion in magnet with median plane symmetry	1
TRI-DN-05-07 - Electrostatic bender optics	1
TRI-DN-06-19 - Dispersion correlation	1
TRI-DN-07-01 - First order fringe field effects in TRIUMF quadrupoles	1
TRI-DN-07-02 - Effect of RF on the beam	1
TRI-DN-07-03 - Effect of the beam on RF: Instabilities in synchrotrons due to the RF cavities	1
TRI-DN-07-04 - B-I curve fits for TRIUMF quads	1
TRI-DN-07-05 - Beamline to TIGRESS	1
TRI-DN-07-06 - The TRIUMF deflector", " and generalized Wien filter	1
TRI-DN-81-02 - Progress in understanding the injection line beam optics	1
TRI-DN-85-07 - Optics design of third source beamline	1
TRI-DN-85-36 - Accelerator column modelling	1
TRI-DN-85-37 - Buncher beam dynamics	1
TRI-DN-86-04 - RF voltage programs for the KAON Factory synchrotrons	1
TRI-DN-86-38 - Intensity limitations in TRI-100	1
TRI-DN-88-11 - Note on reflection-symmetric beam transfer lines	1
TRI-DN-90-32 - The spiral inflector: three analytical representations	1
TRI-DN-92-25 - Optics for CUSP source in I1	1
TRI-DN-95-21 - Aberrations in electrostatic quadrupoles	1
TRI-DN-95-23 - Electrostatic multipole shapes	1
TRI-DN-98-04 - Simple explanation of the canonical momentum effect in solenoids	1
TRI-DN-98-07 - Vacuum requirements in ISAC for ISAC2	1
TRI-DN-99-08 - RMS emittance growth due to intrinsic quadrupole aberrations	1
TRI-DN-99-26 - Optics of parallel-plate electrostatic deflector	1



<b>J.J. Burgerjon</b>	<b>24</b>
TRI-DN-70-53 - Maintenance in radiation areas	1
TRI-DN-71-24 - Accidental radiation exposure analysis	1
TRI-DN-71-25 - Operations in radiation areas	1
TRI-DN-74-37 - Main coil resistor	1
TRI-DN-76-11 - Thermal neutron target position	1
TRI-DN-76-15 - Conceptual design tungsten beamstop/medium flux T.N.T.	1
TRI-DN-76-17 - Development of a lead target for T.N.F.	1
TRI-DN-77-03 - Concept fast neutron stop removal fixture	1
TRI-DN-77-13 - Irradiation facility concept for isotope production	1
TRI-DN-77-15 - Results lead target heat exchange tests	1
TRI-DN-77-17 - T.N.F. Collimator	1
TRI-DN-77-20 - Further results lead target heat transfer tests	1
TRI-DN-77-21 - Activation of removeable T.N.F. components	1
TRI-DN-78-02 - Heat transfer TNF target wall and water window	1
TRI-DN-78-04 - Commissioning T.N.F.	1
TRI-DN-78-05 - A servo-manipulator facility for TRIUMF	1
TRI-DN-78-07 - T.N.F. active gas storage system	1
TRI-DN-78-11 - Pressure rise in TNF moderator tank due to neutron target can failure	1
TRI-DN-78-16 - Gas lines for radio-gas transfer I	1
TRI-DN-78-17 - 500 MeV irradiation facility	1
TRI-DN-79-01 - 500 MeV irradiation facility mechanical controls	1
TRI-DN-79-02 - 500 MeV radio gas target for positron emission tomography	1
TRI-DN-79-06 - Continuous release of tritiated water	1
TRI-DN-83-29 - Conceptual design 42 MeV target station Mark II	1
<b>J. Doornbos</b>	<b>15</b>
TRI-DN-06-18 - The M9A surface muon channel rebuild: M9A beamline optics design", " Oct. 3/2007	1
TRI-DN-08-03 - Proton beamline to UCN source	1
TRI-DN-80-04 - Redesign of M20	1
TRI-DN-80-12 - M13 extension for clean surface muon beams	1
TRI-DN-80-18 - Improvement of M8 intensity with REC quadrupole	1
TRI-DN-81-06 - Depolarization of 30 MeV/c muons by slitscattering in M13	1
TRI-DN-82-08 - M15", " a dedicated surface muon channel	1
TRI-DN-83-48 - Possible secondary channels in a kaon factory proposal	1
TRI-DN-84-13 - Preliminary report on contamination in LESB 1 beam at BNL	1
TRI-DN-84-26 - Results of attempt to design unseparated 15 GeV/c $\pi^-$ beam line	1
TRI-DN-87-06 - The new M9 channel complex", " incorporating a superconducting solenoid muon chann	1
TRI-DN-87-13 - Small DC separator at F2 position in M9	1
TRI-DN-87-14 - Redesign new M9 TPC leg	1
TRI-DN-95-20 - Mass separator for test stand for radioactive ion beam	1
TRI-DN-97-25 - Calculations for the design of a 550 MeV/c kaon beam	1
<b>L. Root</b>	<b>13</b>
TRI-DN-00-05 - Initial operation of the RFQ pre-buncher with a 14N+1 beam	1
TRI-DN-74-28 - BLINE - a computer program for beam transport calculations in the presence of fringing	1
TRI-DN-74-31 - Modifications to SPEAM	1
TRI-DN-75-07 - Indirect emittance measuring techniques	1
TRI-DN-75-12 - Polarization phenomena along the TRIUMF injection line	1

TRI-DN-75-13 - Matching the beam in the injection line to the TRIUMF central region acceptances	1
TRI-DN-90-07 - An investigation into the feasibility of minimizing the current in the undesired buckets b	1
TRI-DN-90-22 - Optics of the cyclotron booster cavity	1
TRI-DN-90-26 - Phase dependence of the R.F.D. induced vertical emittance growth	1
TRI-DN-90-29 - Stripping loss reductions due to cyclotron booster operation	1
TRI-DN-91-02 - Using deflectors to compensate for vertical alignment errors in the magnetic channels	1
TRI-DN-91-05 - Buncher calculations for a low current four degree phase width beam	1
TRI-DN-96-09 - Beam dynamics feasibility study for a pre-RFQ subharmonic buncher	1
<b>G.H. Mackenzie</b>	<b>12</b>
TRI-DN-70-34 - Vertical distribution of gas-stripped ions	1
TRI-DN-70-41 - The effect of defective field measuring devices on our estimation of the focussing frequ	1
TRI-DN-70-42 - Centring tolerance for the final field survey measuring gear	1
TRI-DN-70-45 - Some changes made in the field analysis programs policy and CYCLOPS part 1 - interpola	1
TRI-DN-70-50 - Influence of radial betatron frequencies and amplitudes on the properties of the extract	1
TRI-DN-70-62 - Some changes made in the field analysis programs policy and CYCLOPS. Part 2: Isochron	1
TRI-DN-71-43 - Production of thin carbon foils	1
TRI-DN-71-49 - Beam quality at extraction	1
TRI-DN-72-04 - Simultaneous extracted beams	1
TRI-DN-72-08 - Extraction of a very small fraction of the circulating beam current	1
TRI-DN-72-30 - Tolerance for the deviation of the actual trim and harmonic coil windings from the draw	1
TRI-DN-74-26 - Tolerance on the amount of steel that may be placed within 40 in. of the cyclotron mid-	1
<b>R. Balden</b>	<b>12</b>
TRI-DN-86-23 - Database management - a case study	1
TRI-DN-86-44 - MINUIT: a case study	1
TRI-DN-88-13 - Symbolic computation and very high level programming languages", " Part I: a potpourri	1
TRI-DN-88-24 - Data manipulation in a very high level programming language: An example from INGRES	1
TRI-DN-89-20 - (I) Examples in the use of the symbolic manipulation program SMP (Symbolic mathema	1
TRI-DN-90-23 - Symbolic computation and very-high level languages: functional programming style and	1
TRI-DN-90-30 - Symbolic mathematical computation using Mathematica: Worked examples I (I) exampl	1
TRI-DN-92-02 - Symbolic mathematical computation using Mathematica: formal series expansions and t	1
TRI-DN-94-11 - Aspects of scientific conference data management using the tools ORACLE", " AWK and I	1
TRI-DN-95-06 - Numeric and symbolic approximation in Mathematica: a case study motivated by the de	1
TRI-DN-95-07 - The use of tagged text in database management: lessons and techniques from the BIW9	1
TRI-DN-95-22 - Scientific conference data management: refinements and additions to the methods	1
<b>M.J. Barnes/G.D. Wait</b>	<b>12</b>
TRI-DN-00-15 - Design of ISAC mass separator kicker	1
TRI-DN-05-02 - Test results for PFN capacitors and both PFN and RCPS damping resistors for the CERN L	1
TRI-DN-05-03 - PFN capacitor & resistor selection & values for CERN LHC injection PFNs	1
TRI-DN-05-19 - A FET based kicker for a charge booster for the TRIUMF ISAC project [please note that p	1
TRI-DN-94-17 - A variable duty factor beam chopper for the 300 keV ISIS beamline	1
TRI-DN-96-22 - Design and optimization of the 66 kV resonant charging power supply for the LHC inject	1
TRI-DN-98-15 - Obtaining and utilising calibration data for high precision voltage pulse measurements	1
TRI-DN-99-02 - Design of FET based push-pull pulse generator for probe calibration	1
TRI-DN-99-03 - Testing of PFN capacitors and PFN damping resistor samples for CERN LHC	1
TRI-DN-99-24 - Storage capacitor", " filter capacitor & damping resistor measured values for production	1
TRI-DN-99-28 - Diagnostic module for prototype 66 kV resonant charging power supply	1

TRI-DN-99-29 - Cable routing for prototype 66 kV resonant charging power supply	1
<b>P.A. Reeve</b>	<b>12</b>
TRI-DN-78-15 - A redesign of the M9 channel to include a pure cloud muon beam	1
TRI-DN-79-03 - 11B1 Mk II	1
TRI-DN-79-04 - Corvallis magnet modifications for 11B2	1
TRI-DN-79-14 - Sextupole magnet type 8SX7/3	1
TRI-DN-79-18 - 70 MeV combination magnet	1
TRI-DN-80-01 - H221V26/11 switcher magnet for beam line 2C (70 MeV)	1
TRI-DN-80-09 - Asymmetric sextupole magnet type 20(10)SXN7/1-1/2(1/2)	1
TRI-DN-80-14 - Optics of "Discovery Spectrometer" (PISPEC5)	1
TRI-DN-81-17 - A thin superconducting coil for the Chicago magnet	1
TRI-DN-83-09 - Properties of ISR magnets in a pulsed mode	1
TRI-DN-83-12 - A six inch aperture sextupole for M15", " 6Sx6/1.5	1
TRI-DN-83-20 - Stretcher ring magnets	1
<b>J.W. Carey</b>	<b>12</b>
TRI-DN-70-01 - Heating", " ventilating and air conditioning	1
TRI-DN-70-02 - Gas detection and purging	1
TRI-DN-70-03 - Electrical wiring and distribution	1
TRI-DN-70-04 - Drainage system	1
TRI-DN-70-05 - Grounding	1
TRI-DN-70-06 - Voltage regulation	1
TRI-DN-70-07 - Shielding - computer and rf room and conductors	1
TRI-DN-70-10 - Fire alarm system	1
TRI-DN-70-12 - Emergency power	1
TRI-DN-70-31 - Standard colour codes	1
TRI-DN-70-36 - Electrical loads	1
TRI-DN-70-44 - Cooling water	1
<b>R.E. Laxdal</b>	<b>11</b>
TRI-DN-00-29 - Test 3 -- commissioning preparation and test results	1
TRI-DN-02-24 - Specification for Mu-metal for ISAC-II cryomodule	1
TRI-DN-80-19 - Present knowledge of tank vacuum and gas stripping in the cyclotron	1
TRI-DN-94-27 - Beam quality study for pulsed extraction scheme	1
TRI-DN-94-35 - A vertical pulsed extraction scheme	1
TRI-DN-98-05 - Single stripper option for ISAC-II	1
TRI-DN-98-06 - Two stripper option for ISAC-II	1
TRI-DN-99-05 - Concept design for quadrupole triplets for the ISAC separated function drift tube linac	1
TRI-DN-99-23 - Design specification for ISAC HEBT	1
TRI-DN-99-27 - Charge distribution and beam loss after MEBT foil	1
TRI-DN-99-31 - Beam dynamics implication of linac frequency change	1
<b>C.J. Kost</b>	<b>11</b>
TRI-DN-71-31 - 'Disport'	1
TRI-DN-71-32 - sigma - E0	1
TRI-DN-71-33 - sigma CYCLONE [addendum]	1
TRI-DN-71-48 - Users guide to TRIWHEEL	1
TRI-DN-72-02 - MARELAX2D / Apr 28: MARELAX2D-Addendum	1
TRI-DN-72-09 - Nonlinear cubic spline approximation	1
TRI-DN-72-19 - User's guide to basic TRIMFIT	1

TRI-DN-73-01 - Guide to FFT	1
TRI-DN-73-03 - Guide to COMA2 (cyclotron orbits matrix acceleration version 2)	1
TRI-DN-79-07 - STRIP - a single program to study exotic foil design	1
TRI-DN-87-37 - Cosine gradient theory and the TRIUMF central region	1
<b>L. Moritz</b>	<b>11</b>
TRI-DN-00-20 - Protocol for the design and construction of safety-critical systems at TRIUMF (Revision 1)	1
TRI-DN-03-05 - Estimates for the releases of criteria air contaminants (CACs) for TRIUMF	1
TRI-DN-78-06 - Volatile effluent from TNF lead target	1
TRI-DN-80-15 - Preliminary results of the vault dose study	1
TRI-DN-83-06 - The safety group data analysis system	1
TRI-DN-83-18 - Design criteria for the TRIUMF radiation monitoring system	1
TRI-DN-84-25 - Activity estimates for radioactive tracers in flow-rate measurements	1
TRI-DN-84-40 - Conceptual design for flow-rate measurements using the 'time of flight' technique	1
TRI-DN-99-12 - Estimates of maximum prompt radiation fields associated with the operation of TRIUMF	1
TRI-DN-99-17 - Deployment of neutron monitors outside shielding to trip the 500 MeV cyclotron during	1
TRI-DN-99-32 - Measurement of neutron fields due to proton beam loss in the 500 MeV cyclotron facility	1
<b>J.G. Rogers</b>	<b>11</b>
TRI-DN-74-33 - Data acquisition on the H316 computer	1
TRI-DN-74-34 - PLUTO-a single arm acquisition program	1
TRI-DN-76-07 - Calibration procedure for Alberta beam current monitor	1
TRI-DN-77-05 - Data acquisition on the H316 computer - Version III	1
TRI-DN-77-16 - Results of MRS commissioning in August 1977	1
TRI-DN-78-09 - CAMAC DCU operation for the eclipse computer	1
TRI-DN-83-39 - Digital pulse arithmetics for a large aperture PET	1
TRI-DN-83-40 - Brief market analysis for commercial development of whole body PET	1
TRI-DN-83-44 - 1983 Nuclear Science Symposium and implications for commercial wide aperture PET	1
TRI-DN-84-38 - The Lecroy CAB as a CAMAC buffer processor	1
TRI-DN-86-35 - Performance tests of a KS2061 CAMAC interface on a microVAX-II	1
<b>J. Drozdoff</b>	<b>10</b>
TRI-DN-01-02 - Annunciation of flammable gas monitor alarms originating from the ISAC facility	1
TRI-DN-01-16 - The TRIUMF 500 MeV accelerator facility beamspill monitoring system: functional requirements	1
TRI-DN-01-17 - (R5) The TRIUMF 500 MeV accelerator facility beamspill monitoring system: detailed design	1
TRI-DN-01-18 - (R2) The TRIUMF 500 MeV accelerator facility neutron monitoring system: functional requirements	1
TRI-DN-01-19 - (R4) The TRIUMF 500 MeV accelerator facility neutron monitoring system: detailed design	1
TRI-DN-01-21 - (R1)The TRIUMF 500 MeV accelerator facility access control interlock system: detailed design	1
TRI-DN-02-09 - The TR30-2 accelerator facility radiation monitoring system	1
TRI-DN-84-10 - The 500 MeV cyclotron central safety system	1
TRI-DN-89-26 - The 500 MeV cyclotron central safety system (replaces TRI-DN-84-10)	1
TRI-DN-89-27 - Safety considerations in the design of microprocessor-based access control equipment	1
<b>S. Koscielniak</b>	<b>10</b>
88-K15 - Non-linearities in the phase advance equation	1
88-K25 - A general theory of beam loading	1
88-K68 - RF noise tolerances for the KAON Factory	1
88-K74 - Rf synchronization during transfer of batches from Booster to Collector	1
90-K116 - Hints to those who would simulate the effects of random time perturbations	1
90-K126 - Calculation of required tuner accuracy and time constant	1

90-K160 - Detailed longitudinal phase-space matching	1
90-K161 - Calculation of seed values for longitudinal coupled bunch instability due to uneven bucket p	1
92-K214 - TRIUMF-to-Accumulator synchronization: conceptual design	1
K204 - Analytic criteria for stability of beam-loaded radio-frequency systems	1
<b>A. Prochazka</b>	<b>10</b>
TRI-DN-70-08 - RF system programs	1
TRI-DN-70-40 - Centre region rf system parameters	1
TRI-DN-71-07 - Tuning the cavity for $f_{03}/f_{01}=3.0000$	1
TRI-DN-71-10 - Some notes on TRIUMF resonator transmission line system	1
TRI-DN-71-13 - Power transfer as a function of frequency	1
TRI-DN-71-23 - Multipactoring ranges in TRIUMF cyclotron	1
TRI-DN-71-34 - Detuning of the resonator	1
TRI-DN-71-45 - Some measurements," observations and calculations with regard to CRM rf system	1
TRI-DN-72-22 - Some considerations with regard to rf flat-top operation 1	1
TRI-DN-72-31 - Some considerations with regard to rf flat-top operation II	1
<b>Z. Gelbart</b>	<b>9</b>
TRI-DN-81-20 - 42 MeV O <sub>2</sub> 2N <sub>2</sub> targets	1
TRI-DN-82-05 - CP42 gas targets	1
TRI-DN-82-15 - P.E.T. rabbit station indicator system	1
TRI-DN-87-43 - CP 42 simultaneous beam extraction	1
TRI-DN-88-07 - Plastic tubing in radiation areas/practical tests/results	1
TRI-DN-88-26 - Receiving station for high current targets	1
TRI-DN-89-01 - Simple current integrator/indicator for particle beams	1
TRI-DN-89-25 - Electron beam welder for target material encapsulating	1
TRI-DN-90-31 - Variable energy extractor (VEE)," CP42 cyclotron	1
<b>M. Zach</b>	<b>9</b>
TRI-DN-70-43 - Error signal for resonator fine tuning	1
TRI-DN-83-25 - Sustained electromechanical vibration of TRIUMF dees	1
TRI-DN-83-45 - TRIUMF rf boosters	1
TRI-DN-84-07 - Vibration amplitudes of cantilevered hot arms	1
TRI-DN-85-18 - Comparison of rf booster systems	1
TRI-DN-86-41 - Steady state heat conduction in one dimension	1
TRI-DN-91-03 - Quarter wave coaxial rf resonators	1
TRI-DN-91-08 - Additional fine tuning system for TRIUMF dees	1
TRI-DN-95-10 - Coupling loop for the TRIUMF RFQ prototype	1
<b>T. Suzuki</b>	<b>8</b>
TRI-DN-84-49 - Synchrotron resonances driven by dispersion in rf cavities	1
TRI-DN-84-54 - Transverse coherent instabilities in the Driver Ring	1
TRI-DN-84-55 - Preliminary considerations on the correction magnet system for the driver ring	1
TRI-DN-84-61 - Method to suppress synchrotron resonances by proper arrangement of rf cavities	1
TRI-DN-84-62 - Analytical estimation for the third-integral resonant extraction from the extender	1
TRI-DN-85-16 - Stopband width & emittance growth by repeated crossing of resonances in the booster	1
TRI-DN-85-17 - Effect of rf voltage and phase errors on the synchrotron resonance	1
TRI-DN-86-26 - Theory of emittance growth	1
<b>T. Ries</b>	<b>7</b>
TRI-DN-00-24 - CERN LHC PFN tank lifting rig evaluation	1
TRI-DN-06-15 - Structural evaluation of the mounted EBIT frame assembly ... use at TRIUMF (Not recv'd	1

TRI-DN-07-14 - ISAC-II SCC 8-cavity cryomodule vacuum tank lid engineering design and analysis	1
TRI-DN-86-10 - Stiffener ring analysis for flat wall pressure and vacuum vessel ports	1
TRI-DN-87-15 - Coolant temperature and flow calculations for the ISIS 100 kVA isolation transformer for	1
TRI-DN-90-28 - Electro-mechanical servo systems for TR30 and TRIUMF applications	1
TRI-DN-98-02 - Mechanical engineering design specifications for tank 1 of the ISAC drift tube linac	1
<b>T.C. Ries</b>	<b>7</b>
TRI-DN-06-02 - TIGRESS detector frame finite element analysis (FEA) for determining structural integrity	1
TRI-DN-07-19 - ISAC-II SSC-8 cavity cryomodule cold mass strong-back and support strut assembly engin	1
TRI-DN-08-15 - A combined HV and SF 6 pressure feedthrough boundary design for the M9 300 kV sepa	1
TRI-DN-08-17 - E-linac tuner system budget and manpower estimates	1
TRI-DN-08-18 - [DRAFT] A low pressure SF6 tank housing for a high voltage power supply stack [DRAFT]	1
TRI-DN-94-19 - Basic concepts towards the design and analysis of non-standard pressure vessels (shells	1
TRI-DN-94-20 - Engineering design analysis and calculations of 7500 psi gas target pressure vessel for th	1
<b>J.R. Richardson</b>	<b>7</b>
TRI-DN-70-49 - Some considerations on the magnet shimming program	1
TRI-DN-81-19 - Some considerations on the relative radii of the accumulator ring and TRIUMF	1
TRI-DN-81-21 - A possible two-cyclotron design for 12 GeV	1
TRI-DN-83-30 - Suggestions on extraction of a continuous H- beam & injection into an accumulator	1
TRI-DN-83-42 - Booster electrodes in TRIUMF	1
TRI-DN-83-43 - Preliminary considerations for a 10 Hz 30 Gev synchrotron	1
TRI-DN-87-33 - On longitudinal stacking in the accumulator	1
<b>R.E. Blaby</b>	<b>7</b>
TRI-DN-76-10 - Conceptual design of M.R.S. target shielding	1
TRI-DN-77-08 - Weld strength test on the external 4B beam dump Meehanite body	1
TRI-DN-80-16 - Mechanical concept of "Discovery Spectrometer" (PISPEC5)	1
TRI-DN-81-22 - Cyclotron jack maintenance and modification	1
TRI-DN-82-14 - Mechanical pre-concept of the 2nd arm spectrometer	1
TRI-DN-85-34 - Feasibility study for a gas stripper extraction of the cyclotron beam current	1
TRI-DN-87-09 - Stress calculation for standard flanges modified to use an 'O' ring seal	1
<b>B.F. Milton</b>	<b>7</b>
TRI-DN-87-32 - On the possibility of simultaneous polarized and unpolarized beams from TRIUMF	1
TRI-DN-87-39 - "CYC_DESIGN" an interactive program for basic cyclotron design	1
TRI-DN-98-11 - Calculation of inflector transfer matrices	1
TRI-DN-98-14 - Fringe fields in the DRAGON electrostatic dipoles	1
TRI-DN-99-01 - Fringe fields in the DRAGON quadrupoles	1
TRI-DN-99-04 - CYCLONE VERS 8.3 January 28 1999	1
TRI-DN-99-11 - ISAC DTL triplet 3D calculations	1
<b>P. Falconer</b>	<b>7</b>
TRI-DN-70-18 - Location of ventilation equipment	1
TRI-DN-70-19 - Radiation decontamination in Chemistry Annex and Hot Cell Facility	1
TRI-DN-70-20 - Results of conference with beam tunnel group	1
TRI-DN-70-21 - Priorities in building design", " architectural details to be resolved	1
TRI-DN-70-22 - Proposal to shift chemistry wing east	1
TRI-DN-70-24 - Control room level of service wing	1
TRI-DN-71-09 - Architectural provisions for expansion of the TRIUMF physical plant	1
<b>D.L. Livesey</b>	<b>6</b>
TRI-DN-70-13 - Vibrations and deflection of a uniform beam on end-supports	1

TRI-DN-70-32 - Survey of the TRIUMF magnetic field	1
TRI-DN-70-47 - Design of search coils	1
TRI-DN-71-16 - Misalignment errors in hall plates. 1. Homogeneous fields	1
TRI-DN-71-18 - Misalignment errors in hall plates. II. Inhomogeneous fields	1
TRI-DN-72-16 - Notes on the TRIUMF magnet survey	1
<b>P.G. Bricault</b>	<b>6</b>
TRI-DN-03-08 - FEBIAD ion source for TRIUMF-ISAC	1
TRI-DN-03-09 - Proposal for a FEBIAD ion source for TRIUMF-ISAC	1
TRI-DN-93-17 - ECR ion source for ISAC RFQ tests	1
TRI-DN-94-30 - Methods for measurement of the specific shunt impedance of RFQ	1
TRI-DN-95-09 - Design of an ECR ion source for radioactive ion beams	1
TRI-DN-95-11 - Analytical expression describing the shunt resistance of split-ring 4 rod RFQ	1
<b>P. Bricault</b>	<b>6</b>
TRI-DN-04-17 - Study of the ionization efficiency of ECR-1 at ISAC	1
TRI-DN-04-18 - High power target for TRIUMF-ISAC	1
TRI-DN-93-11 - Proposal for an off-line test bench for TISOL/ISAC	1
TRI-DN-93-12 - Study of the stripping for ISAC	1
TRI-DN-93-20 - Study of the stripping scheme for the ISL facility	1
TRI-DN-95-05 - Simulation of the TRIUMF split ring 4 rod RFQ with MAFIA	1
<b>L. King</b>	<b>6</b>
TRI-DN-00-27 - ISAC DTL exclusion area safety system functional requirements	1
TRI-DN-00-28 - ISAC DTL exclusion area safety system conceptual design	1
TRI-DN-02-02 - Functional requirements for the ISAC target maintenance hall target configuration controller	1
TRI-DN-02-03 - ISAC target maintenance hall target configuration controller conceptual design	1
TRI-DN-02-10 - ISAC ITE high voltage interlocks: functional requirements	1
TRI-DN-02-11 - ISAC ITE high voltage interlocks: conceptual design	1
<b>C. Meade</b>	<b>6</b>
TRI-DN-71-05 - GOBLIN (+ 3 addenda)	1
TRI-DN-71-38 - Running PMATRIX - the policy matrix method [addendum 1-Sept/72]	1
TRI-DN-71-44 - Changes made to TRANSPORT at TRIUMF	1
TRI-DN-72-07 - An abbreviated guide to CODE + Sep 30 Revision	1
TRI-DN-72-21 - An abbreviated guide to GOBLIN	1
TRI-DN-73-28 - Users guide to main magnet code	1
<b>G.D. Wait</b>	<b>6</b>
TRI-DN-71-46 - Audio and visual alarms	1
TRI-DN-71-47 - TRIUMF lock-up procedures	1
TRI-DN-71-53 - Keys for the safety interlock system	1
TRI-DN-73-39 - Safety interlock system disable signals	1
TRI-DN-74-01 - TRIUMF lockup and access procedures	1
TRI-DN-76-08 - Proposed layout for access control in the proton hall	1
<b>M.K. Craddock</b>	<b>6</b>
TRI-DN-70-66 - Harmonic coils - required current distribution	1
TRI-DN-72-15 - Effects of third harmonic on the RF waveform	1
TRI-DN-74-23 - Depolarization by the rf field	1
TRI-DN-80-05 - Cyclotron operation at reduced energy to minimize activation	1
TRI-DN-82-11 - Turn compaction for pulsed extraction: phase slipping rate and phase acceptance	1
TRI-DN-84-08 - Production of purely longitudinal polarization in beam line 4B	1

<b>R. Burge</b>	<b>6</b>
TRI-DN-81-04 - Receiving capacitive probe signals over long cables	1
TRI-DN-85-02 - ISIS beam position monitor	1
TRI-DN-87-16 - Limits to ADC bandwidth without a sample and hold	1
TRI-DN-88-12 - Control options for KAON Factory beam loading	1
TRI-DN-88-22 - Adaptive control of a nonlinear system	1
TRI-DN-90-15 - RF control of the M9 separator	1
<b>Y.-N. Rao</b>	<b>5</b>
TRI-DN-02-22 - Understanding to TRIUMF injection beamline ISIS	1
TRI-DN-02-27 - Maintenance and usage of computer program CYCLONE for TRIUMF cyclotron	1
TRI-DN-04-10 - Determination of minimum spacing needed between adjacent fingers of HE1 probe	1
TRI-DN-04-22 - Initial beam parameters for TRIUMF beamlines 1A and 2A	1
TRI-DN-08-05 - Simulation studies on $\nu_r=3/2$ resonance in TRIUMF cyclotrons	1
<b>P. Schwandt</b>	<b>5</b>
88-K22 - Estimation of specific core losses in dc-biased laminated magnets	1
88-K31 - Comparison of realistic core losses in the Booster ring dipole magnets for grain-oriented and o	1
88-K32 - An improved magnetic design for the booster ring dipoles	1
88-K37 - Magnetic design of the Driver ring dipole -a second look	1
88-K73 - A new magnetic design of the driver ring dipoles	1
<b>G.H. Rees</b>	<b>5</b>
88-K10 - Longitudinal impedance estimate for the distributed capacitors of the SAIC rf shield	1
88-K11 - Kicker requirements for Booster extraction & the A-ring injection line	1
88-K7 - Magnet lattices of a compatible form for the A & Brings	1
88-K8 - Note on the coherent motion of a hollow longitudinal distribution	1
88-K9 - H-injection topics	1
<b>G.H. Rees</b>	<b>5</b>
TRI-DN-84-42 - Notes on a lattice for the main ring	1
TRI-DN-84-43 - Notes on power amplifier and cavity design for TRIUMF KAON factory	1
TRI-DN-84-45 - Possible lattices for booster and accumulator ring	1
TRI-DN-85-23 - Effect of heavy cavity beam loading on power amplifier rf feedback	1
TRI-DN-86-27 - Further note on cavity designs for the TRIUMF KAON Factory	1
<b>P.A. Reeve</b>	<b>5</b>
88-K34 - Preliminary design of prototype booster quadrupole	1
90-K127 - Comparison of various beam splitter magnet geometries	1
90-K140 - Accumulator dipole: conceptual design	1
92-K208 - Some methods of improving homogeneity in the rf cavity tuner magnet ferrite rings	1
92-K209 - Improved coil designs for booster quadrupole	1
<b>H. Houtman</b>	<b>5</b>
TRI-DN-92-09 - RELAX-INTEGGER*2	1
TRI-DN-92-10 - RELAX3D BND subroutines for the TRIUMF cyclotron", " 100 kV", " 23.1 MHz", " radio freq	1
TRI-DN-92-16 - Laser oscilloscope	1
TRI-DN-92-17 - Mathematical analysis for graphical subtraction of vector fields by the Moire interferenc	1
TRI-DN-92-18 - Design of a larger aperture H- extraction channel MC3	1
<b>V.K. Verma</b>	<b>5</b>
TRI-DN-75-04 - [Untitled] (re measurements of input currents thru 480 V supply line to power supplies &	1
TRI-DN-75-06 - Trouble-shooting of CTS power supplies	1
TRI-DN-75-08 - Replacement of pass-bank transistor in CTS-11 kW and 25 kW power supplies	1



TRI-DN-75-09 - Tracking test on CTS power supplies	1
TRI-DN-80-06 - Cost estimates for servicing the beam line magnets and power supplies	1
<b>Z.H. Peng/R.E. Laxdal</b>	<b>4</b>
TRI-DN-03-12 - Higher energies for ISAC	1
TRI-DN-03-18 - The magnetic rigidity of the ISAC-II beams for a beam energy measurement	1
TRI-DN-03-19 - A design layout for ISAC-II post-SCLinac beam line (HEBT-II)	1
TRI-DN-03-20 - The efficiency analysis of ISAC-II	1
<b>R. Hohbach</b>	<b>4</b>
TRI-DN-83-04 - Guideline for investigations on the TRIUMF RF resonator (Missing from binder)	1
TRI-DN-83-37 - Results of recent RF work (Summer 1983) and proposed future action	1
TRI-DN-85-28 - RF leakage in the 1:10 model of the TRIUMF resonators	1
TRI-DN-95-24 - Investigation on stabilizing the 92 MHz, 150 kW booster amplifier	1
<b>E. Devita</b>	<b>4</b>
TRI-DN-81-09 - A proposal for a new set of coils and pole faces for the "Patty Jane" dipole magnet	1
TRI-DN-84-17 - $\mu$ SR omni coils: main field coil design	1
TRI-DN-84-27 - A magnetic channel for H- extraction	1
TRI-DN-88-38 - Eddy current losses in the excitation coils of A.C. dipole magnets	1
<b>I. Sekachev</b>	<b>4</b>
TRI-DN-06-10 - B-20 cryogenerator refurbishing proposal	1
TRI-DN-08-02 - e--linac vacuum systems	1
TRI-DN-08-09 - Clean helium collection system (proposal)	1
TRI-DN-08-13 - Assembly and vacuum test of the carbon filter for radioactive contamination measurement	1
<b>J. Lenz</b>	<b>4</b>
TRI-DN-73-37 - A proposal to prevent an explosion in liquid nitrogen cold traps	1
TRI-DN-78-19 - A rapid transfer system for radiogases from TNF to the UBC hospital	1
TRI-DN-88-05 - Heat transfer in edge cooled 1AW2 aluminum windows	1
TRI-DN-90-04 - A lithium test target for neutron capture therapy	1
<b>L.C. Teng</b>	<b>4</b>
TRI-DN-81-16 - A fast-cycling synchrotron kaon factory for TRIUMF and the injection scheme which makes it possible	1
TRI-DN-82-02 - Some details of the kaon factory	1
TRI-DN-82-19 - Parameters of the new injection scheme	1
TRI-DN-82-25 - Simplified injection scheme for the TRIUMF Kaon factory	1
<b>F. Szlavik</b>	<b>4</b>
TRI-DN-88-18 - The advantages of marble as shielding material for the 30 MeV cyclotron (Rev. to pgs 3 & 5)	1
TRI-DN-89-04 - Shielding for a 30 MeV H- accelerator (revised Dec/89)	1
TRI-DN-89-05 - The stack monitoring system for the 42 MeV cyclotron facility and the radiochemistry annex	1
TRI-DN-89-11 - The advantages of marble-cement aggregate as shielding material for the 30 MeV cyclotron	1
<b>W. Joho</b>	<b>4</b>
TRI-DN-72-33 - Spin depolarization along the TRIUMF 300 keV injection line including the spiral inflector	1
TRI-DN-82-12 - Simulating cyclotron sector magnets with the computer program TRANSPORT	1
TRI-DN-82-13 - Proposal for a TRIUMF storage ring - TRISTOR	1
TRI-DN-87-27 - Current limits for separated turns due to longitudinal space charge effects	1
<b>C. Haddock</b>	<b>4</b>
89-KI00 - Evaluation of eddy current induced losses in the rf circuit, cooling and support structures of the	1

89-KI01 - Comparison of PE2D eddy current loss predictions and a semianalytical calculation	1
90-K122 - Magnetic field measurement of the booster ring prototype dipole magnet: Sources of measu	1
90-K129 - Magnetic field measurement of KAON Factory production magnets	1
<b>W.K. Lacey</b>	<b>4</b>
TRI-DN-72-29 - Safety and machine protection - enable & status signals to and from other systems	1
TRI-DN-73-02 - Safety and machine protection - targets	1
TRI-DN-73-12 - Control console	1
TRI-DN-84-24 - Cost estimates of resonant power supply systems for ISR magnets	1
<b>G. Clark</b>	<b>4</b>
TRI-DN-05-26 - Lifting the 1983 M20 B1 vacuum box	1
TRI-DN-06-11 - M20 beamline alignment	1
TRI-DN-06-12 - M20 beamline front-end refurbishment	1
TRI-DN-85-32 - Installation instructions for the p", "n;n", "p facility	1
<b>J. B. Pearson</b>	<b>4</b>
90-K179 - Guide to using CANAL 3D at TRIUMF	1
90-K180 - Updated field calculations and field mapping results for prototype magnetic field chanel (MC	1
91-K181 - Cooling requirements and magnetic forces for magnetic channel MC1	1
91-K182 - Design of magnetic channel no. 2 (MC2) for the H-extraction scheme	1
<b>R.H.M. Gummer</b>	<b>4</b>
TRI-DN-70-65 - TRIUMF CRM resonator fine tuning controller	1
TRI-DN-71-29 - RF control - general description	1
TRI-DN-71-50 - CRM rf controller	1
TRI-DN-71-51 - CRM rf amplifier input selector	1
<b>M. Barnes et al.</b>	<b>3</b>
88-K69 - Attenuation and dispersion of pulses in low loss coaxial cable	1
90-K115 - Assembly procedure for the prototype kicker magnet for the KAON factory vertical extraction	1
90-K154 - [Test results on the modified CERN pulser and .the TRIUMF prototype kicker magnet] -(Jed N	1
<b>E.W. Blackmore</b>	<b>3</b>
88-K33 - Experimental area design working group summary	1
88-K36 - Radiation levels in the KAON factory accelerator tunnels	1
90-K171 - Low energy pion production at kaon energies	1
<b>R. Baartman/Y.-N. Rao</b>	<b>3</b>
TRI-DN-03-01 - Investigation of space charge neutralization in ISIS	1
TRI-DN-04-02 - Determination of initial beam parameters in ISIS	1
TRI-DN-05-04 - Corrections to TRIUMF cyclotron stripper to combination magnet transfer matrices and	1
<b>D. Hutcheon</b>	<b>3</b>
TRI-DN-78-14 - New routines to form on-line spectra on the Honeywell 316 computer	1
TRI-DN-79-11 - Recent changes in Honeywell 316 data acquisition programs	1
TRI-DN-81-03 - The U. of A. Honeywell-316 data acquisition program (HONDA)	1
<b>G.S. Clark</b>	<b>3</b>
88-K71 - KAON factory mnemonic device naming convention	1
91-K185 - Rationalizing quadrupole specifications for the A,C and E rings	1
K203 - Estimating quadrupole apertures from Courant-Snyder parameters	1
<b>G. Battersby</b>	<b>3</b>
TRI-DN-84-31 - Chemistry annex water chiller modifications	1
TRI-DN-84-59 - New prototype resonator water distribution	1
TRI-DN-86-20 - Cooling water channel design in RF booster	1

<b>R.C. Gupta</b>	<b>3</b>
TRI-DN-83-31 - Straight section designs	1
TRI-DN-83-36 - Methods of designing synchrotrons with high transition energy	1
TRI-DN-83-51 - Methods of designing a synchrotron lattice with high energy transition energy	1
<b>J.I.M. Botman</b>	<b>3</b>
TRI-DN-84-19 - A 3 GeV TRIUMF booster based on the NINA magnets	1
TRI-DN-84-66 - Lattices for the TRIUMF KAON factory rings	1
TRI-DN-84-67 - Quadrupole and dipole aperture estimates	1
<b>C.Oram</b>	<b>3</b>
88-K17 - Revised estimate of the longitudinal impedance for the distributed capacitors of the SAIC RF sh	1
88-K56 - Beam pipe options for the ac magnets at the KAON factory	1
90-K112 - Comparison of major cost components for the SAle and RAL ceramic pipe and rf shield design	1
<b>H.O. Schonauer</b>	<b>3</b>
TRI-DN-84-04 - Comparison of some options for TRISR	1
TRI-DN-84-51 - Comparison of boosters of different sizes	1
TRI-DN-84-52 - Estimates of the blow-up due to an isolated resonance	1
<b>H. Sasaki</b>	<b>3</b>
88-K47 - Design of the energy-storage choke for the booster ring magnet system II	1
90-K109 - Addendum to 'design of the energy-storage choke Booster ring magnet system II' (TRI-DN-90	1
90-KI08 - Separate energy-storage choke for Driver Ring of KAON factory	1
<b>S. Koscielniak/C. Acconcia</b>	<b>3</b>
TRI-DN-08-06 - Simulations of longitudinal single-particle motion in EMMA NS-FFAG	1
TRI-DN-08-07 - Simulations of longitudinal motion in EMMA NS-FFAG under influence of longitudinal sp	1
TRI-DN-08-08 - Simulations of longitudinal motion in EMMA NS-FFAG under influence of rf cavity beam	1
<b>M.R. Harold</b>	<b>3</b>
88-K88 - Increasing the field in the Booster Dipole	1
88-K89 - Summary of an extraction channel from the Dring	1
88-K90 - The extraction channel from the booster	1
<b>S. Kreitzman</b>	<b>3</b>
TRI-DN-06-16 - The M9A surface muon channel rebuild: M9A principal investigator design specification	1
TRI-DN-06-17 - The M9A surface muon channel rebuild: M9A magnet power supplies	1
TRI-DN-08-04 - 300 kV high voltage stack feed through for the new M9A CMMS spin rotator / Wein filte	1
<b>M.J. Barnes/Wait</b>	<b>3</b>
90-K149 - Simulation of deflector plates and assessment of rise-times for the 1 MHz chopper	1
91-K192 - Effect of saturating ferrites for the 30 w, resistively termntated, proto	1
91-K195 - Optimization of the speed-up network component values for the short-circuit 30 n prototype	1
<b>S. Yen</b>	<b>3</b>
TRI-DN-88-10 - Optics of the Q-Q-clamshell second arm spectrometer	1
TRI-DN-88-31 - The SASP as a neutron detector	1
TRI-DN-90-12 - Statistical uncertainties in livetime and detector efficiencies	1
<b>E.W. Blackmore</b>	<b>3</b>
TRI-DN-04-05 - Operational experience with the TRIUMF meson production targets	1
TRI-DN-86-06 - Choice of energy for a KAON Factory	1
TRI-DN-94-32 - Proton therapy facility description and specifications	1
<b>K. Buckley</b>	<b>3</b>
TRI-DN-06-05 - Production of a <sup>56</sup> Co source for detector calibrations	1
TRI-DN-06-07 - <sup>18</sup> O water target design for production of <sup>18</sup> F	1

TRI-DN-89-0-8 - Status of boron loaded shielding tests	1
<b>F.W. Jones</b>	<b>3</b>
TRI-DN-87-20 - ACCSIM: A synchrotron tracking program for simulating injected and accumulated beam	1
TRI-DN-87-22 - DIPLOT: A post-processor DIMAD	1
TRI-DN-90-17 - User's guide to ACCSIM	1
<b>D. Kaltchev</b>	<b>3</b>
TRI-DN-07-08 - Two-fold symmetric ILC damping ring based on OCS6 cells	1
TRI-DN-07-09 - On beam-beam resonances observed in LHC tracking	1
TRI-DN-99-16 - Design of betatronic and momentum collimation systems with code DJ ("Distribution of	1
<b>L. Rezzonico</b>	<b>3</b>
TRI-DN-87-26 - Analysis of beam diagnostic at TRIUMF	1
TRI-DN-87-28 - Proposal for a current acquisition module with high dynamic range	1
TRI-DN-94-31 - High power collimators	1
<b>D. Marquardt</b>	<b>3</b>
TRI-DN-71-04 - Frequency measurement and histogram generator	1
TRI-DN-71-17 - MUX SCAN program (Addendum April)	1
TRI-DN-71-52 - Paper tape copy	1
<b>R. Gibb</b>	<b>3</b>
TRI-DN-74-10 - Combination magnet data	1
TRI-DN-74-11 - Extraction region survey	1
TRI-DN-74-12 - Extraction survey data	1
<b>U. Wienands</b>	<b>3</b>
TRI-DN-86-03 - Slow extraction from the KAON Factory extender	1
TRI-DN-86-33 - Accelerating polarized protons in the KAON Factory	1
TRI-DN-87-02 - Siberian snakes for the KAON Factory	1
<b>EDeVita</b>	<b>3</b>
88-K63 - A proposed design for extraction channel no. 5	1
88-K64 - Increasing the field in the CSC dipole	1
88-K65 - Attaining a uniform field gradient in extraction channel 4	1
<b>A.K. Mitra</b>	<b>3</b>
91-K198 - Fast rf feedback loop measurement cavity at a fixed frequency on the KAON booster	1
92-K218 - Realizing a new concept of HOM damper using a high-pass filter	1
92-K219 - A prototype HOM damper cavity for KAON Booster	1
<b>D. Boussard</b>	<b>3</b>
88-K81 - Scaling up of CERN! PS controlled blow up to the collector ring	1
88-K82 - Variable phase shifter for the fast rf feedback in the Booster.	1
91-K186 - Transient beam loading in KAON	1
<b>C.A. Miller</b>	<b>3</b>
TRI-DN-75-14 - A cross assembler for preparing Honeywell 316 programs using the IBM 370	1
TRI-DN-82-03 - Optics of "Discovery Spectrometer" (PISPEC6)	1
TRI-DN-83-05 - MRS gas and vacuum control system	1
<b>N. Sonntag</b>	<b>3</b>
TRI-DN-72-25 - Quadrupole stands and realignment system - preliminary design	1
TRI-DN-73-29 - Alignment equipment and instruments available at TRIUMF	1
TRI-DN-73-30 - Settlement survey	1
<b>M. Dehnel</b>	<b>3</b>
TRI-DN-92-06 - TR30 inflector central ray modelling using CASINO	1

TRI-DN-96-29 - Beamline 2A -- quadrupole magnet	1
TRI-DN-99-30 - 22.5o ISAC/HEBT dipole magnet design	1
<b>Y. Yin</b>	<b>3</b>
90-K142 - A wall current beam position monitor built on a ceramic chamber	1
90-K143 - BPM calibration and its test station	1
90-K144 - A wall current beam position monitor built on a ceramic chamber	1
<b>Y. Yin</b>	<b>3</b>
TRI-DN-91-10 - A dc current transformer for TRIUMF	1
TRI-DN-93-26 - An in-vacuum wide band wall current gap monitor for TRIUMF BL-1A	1
TRI-DN-95-19 - CERN CTF beam monitor data acquisition system based on an optical delay line loop sam	1
<b>M. Barnes</b>	<b>3</b>
90-K169 - Simulation of eddy currents in the walls of the ferrite tuned cavity using PSPICE -jed Nov 1992	1
91-K187 - Optimization of speed-up-network values for the resistively dominated 30 n prototype kicker	1
91-K191 - [y'ed November 1991 please see KAON office for copi~s]	1
<b>P.M. Cronje</b>	<b>3</b>
TRI-DN-90-08 - GOBLIN auxiliary programs and procedures	1
TRI-DN-90-18 - Trimcoil optimization using ZFIT.EXE and BROPT.PCM	1
TRI-DN-90-19 - Explanation of width of deflected H- beam -- Spring 1990 DCD tests	1
<b>Q. Zheng</b>	<b>3</b>
TRI-DN-02-25 - High performance limiting-logarithmic amplifier	1
TRI-DN-02-26 - High-Q crystal filter as ISAC II SC cavity simulator	1
TRI-DN-04-23 - New design of cyclotron booster frequency auto tuning system	1
<b>J. Tinsley / J. Rogers</b>	<b>3</b>
TRI-DN-84-28 - Introduction to DACS	1
TRI-DN-84-29 - The DACS EPROC compiler	1
TRI-DN-84-33 - The DACS CAMAC compiler	1
<b>P. Lanz</b>	<b>3</b>
TRI-DN-88-37 - Parallel impedance", " voltage distribution and power requirements in resonators with lo	1
TRI-DN-88-41 - Possible improvements to the cyclotron rf system	1
TRI-DN-90-25 - Minimizing the beam loading effects in an rf-accelerating system demonstrated on the T	1
<b>P. Sigg</b>	<b>3</b>
TRI-DN-83-32 - New RF-control systems for the TRIUMF cyclotron	1
TRI-DN-85-24 - A look at the effects of beam-loading (steady-state) on control systems (f1&f3) of the TRIUMF cyclotron	1
TRI-DN-85-27 - A general rf-control system concept	1
<b>P. Reeve</b>	<b>2</b>
90-K174 - Initial tests results on prototype Booster quadrupcle	1
93-K241 - Cross Harmonic Pickup in Multipole Magnets	1
<b>S.R. Koscielniak</b>	<b>2</b>
88-K16 - Stability analysis of rf cavity tuning loop	1
90-K136 - Phase and incoherent frequency shifts due to steady-state wake fields	1
<b>W. Anderson</b>	<b>2</b>
TRI-DN-87-11 - Safety valve calculations for the M9 5th oil separator	1
TRI-DN-87-12 - Burst disk calculations for the M9 buffer tank	1
<b>A. Prochazka/K.L. Erdman</b>	<b>2</b>
TRI-DN-71-15 - Rate of rise of resonator voltage	1
TRI-DN-71-39 - Estimate of beam loading	1

<b>E. De Vita</b>	<b>2</b>
TRI-DN-83-16 - Design of 45o bending magnets in M15", " B3 and B4	1
TRI-DN-83-17 - Design pf 30o bending magnets in M15", " B1 and B2	1
<b>A.C. Morton</b>	<b>2</b>
TRI-DN-07-11 - Proposed improvements to ISAC radiation monitoring systems in support of actinide tar	1
TRI-DN-08-16 - ISAC actinide target development: charcoal filtration of the target volume (concept by J.	1
<b>R.G. Bendall</b>	<b>2</b>
TRI-DN-72-11 - Design of tunnel orifice for LCW system	1
TRI-DN-72-32 - Cu LCW cooling system modification design data	1
<b>A.J.S. Smith</b>	<b>2</b>
TRI-DN-82-22 - Comments on experimental halls and beams	1
TRI-DN-82-23 - Kaon decays at TRIUMF-II	1
<b>J .R. Richardson</b>	<b>2</b>
88-K1 - A possible future increase in the research capability of the TRIUMF KAON Factory (The TRI-100)	1
88-K77 - Another look at the TRI-100	1
<b>H. Dollard</b>	<b>2</b>
TRI-DN-71-36 - Design of operator controllers - review and evolution	1
TRI-DN-71-37 - Report on status of beam probe electronics	1
<b>D.R. Gill</b>	<b>2</b>
TRI-DN-89-09 - Can the two modes of the H search be run simultaneously?	1
TRI-DN-89-10 - Backgrounds in the $3\text{He}(K^-, K^+)$ reaction (no paper copy)	1
<b>H.J. Tran/S. Koscielniak</b>	<b>2</b>
TRI-DN-96-18 - Calculation of the properties of a transverse damping system using a matrix formalism	1
TRI-DN-96-19 - Decoherence and recoherence of a displaced charged-particle beam with binomial amp	1
<b>[T.A. Enegren]</b>	<b>2</b>
89-KI04 - [Measurement ofrf cavity shunt]-(-led November 1991 please see KAON office for copies)	1
89-KI05 - [Coupled (?) higher order mode damper] -(vied November 1991 please see KAON office for co	1
<b>J. Bolduc/G.H. Mackenzie</b>	<b>2</b>
TRI-DN-70-60 - First harmonic tolerance in the central portion of the cyclotron	1
TRI-DN-71-12 - The effect of arithmetic precision and integration step size on the accuracy of CYCLOP1	1
<b>V. Balandin/N. Golubeva</b>	<b>2</b>
93-K236 - Investigation of Spin Motion in the Booster Lattice	1
93-K240 - Fast betatron tune jumps and partial siberian snakes for pre-serving the polarization in the b	1
<b>J. Botman</b>	<b>2</b>
TRI-DN-82-20 - Ring cyclotrons with return field gullies	1
TRI-DN-85-10 - Lattice description of TRIUMF KAON Factory accelerators	1
<b>T.J. Ruth/S.K. Zeisler/G.A. Gschwandtner</b>	<b>2</b>
TRI-DN-93-21 - A thermistor detector for solvent evaporation	1
TRI-DN-93-24 - Detector with photoconductive cell for monitoring liquid flow	1
<b>J. Cherix</b>	<b>2</b>
TRI-DN-86-17 - RF-phase detectors	1
TRI-DN-86-18 - RF control system summary	1
<b>D. Yuan/K. Jayamanna</b>	<b>2</b>
TRI-DN-89-24 - Computerized analysis of H2 plasma in small H- cusp source	1
TRI-DN-93-08 - I-1 cusp source consideration	1
<b>J. Miller</b>	<b>2</b>
TRI-DN-79-12 - Design and testing of model targets for $^{53}\text{I}123$ production	1

TRI-DN-79-19 - Preliminary experiments in radiogas production	1
<b>U. Wienands</b>	<b>2</b>
88-K3 - A "clean" method to create the kicker hole for the KAON Factory B,C,D, E rings	1
92-K215 - Evaluation of the racetrack lattice for the Booster	1
<b>J.B. Pearson/B.F. Milton</b>	<b>2</b>
TRI-DN-89-22 - RELAX3D mesh spacing studies for the TR30 central region	1
TRI-DN-89-23 - RELAX3D model for the TR30 dee gap	1
<b>D.P. Gurd</b>	<b>2</b>
TRI-DN-71-01 - NOVA-SUPERNOVA users' instructions	1
TRI-DN-71-40 - CAMAC subroutines for NOVA BASIC	1
<b>J.C. Yandon</b>	<b>2</b>
TRI-DN-71-20 - Titanium sublimation pump evaluation	1
TRI-DN-73-36 - A further evaluation of titanium sublimation pumping	1
<b>D.V. Bugg</b>	<b>2</b>
TRI-DN-83-14 - Considerations for beam layouts for a Kaon Factory	1
TRI-DN-83-28 - Review of the physics for a kaon-neutrino factory	1
<b>B. Evans</b>	<b>2</b>
TRI-DN-73-27 - TRIUMF stepping motor system	1
TRI-DN-87-03 - IBM PC/XT/AT comparisons	1
<b>K. Fong</b>	<b>2</b>
88-K93 - A proposed design for extraction channel no. 3	1
88-K94 - A proposed design for extraction channel No.4	1
<b>J.S. Fraser</b>	<b>2</b>
TRI-DN-95-36 - Ho beam extraction for proton beam therapy	1
TRI-DN-96-06 - H0 beam extraction for proton therapy at TRIUMF (TRI-DN-95-36 is cancelled and replaced)	1
<b>E. Zaplatine</b>	<b>2</b>
TRI-DN-94-07 - TRIUMF Kaon Factory booster cavity simulation with MAFIA	1
TRI-DN-94-08 - TRIUMF Kaon Factory booster cavity HOM damper study	1
<b>K. Jayamanna</b>	<b>2</b>
TRI-DN-96-12 - (a.k.a. TRI-DN-ISAC-11) not received as yet (08/96)	1
TRI-DN-96-14 - (a.k.a. TRI-DN-ISAC-12) Not received as yet (08/96)	1
<b>A. Iliev</b>	<b>2</b>
93-K231 - Lattice studies for the booster	1
93-K232 - The code LinSp for evaluation of linear space-charge effects on beam optics: application to the booster	1
<b>Brobeck &amp; Assoc.</b>	<b>2</b>
TRI-DN-70-16 - Quadrupole cost comparisons for beam line 1 magnets	1
TRI-DN-70-17 - Commercial quadrupole costs and data [Not distributed but kept on file as back-up for beam line 1 magnets]	1
<b>J. Drozdoff / L. King</b>	<b>2</b>
TRI-DN-01-22 - Area safety units and the emergency trip pushbutton system for primary beam exclusion	1
TRI-DN-01-23 - Area safety units and the emergency trip pushbutton system for secondary beam exclusion	1
<b>L. King/M. McDonald</b>	<b>2</b>
TRI-DN-00-16 - beta-NMR high voltage interlocks functional requirements	1
TRI-DN-00-17 - beta-NMR high voltage interlocks conceptual design	1
<b>S.R. Koscielniak</b>	<b>2</b>
TRI-DN-88-20 - LONG1D user guide	1
TRI-DN-88-29 - RF system considerations for the Booster	1
<b>M. Barnes/G. Wait</b>	<b>2</b>

TRI-DN-05-15 - Pspice analysis of the AGS A10 kicker magnets	1
TRI-DN-96-16 - Design and optimization of a 60 kV resonant charging power supply	1
<b>V. Rodel</b>	<b>2</b>
TRI-DN-73-32 - Instructions to operate the chopper at the injection beamline	1
TRI-DN-73-33 - The chopper/buncher/pulse programming system	1
<b>C. Kost</b>	<b>2</b>
TRI-DN-74-16 - Bz coils	1
TRI-DN-82-17 - Feasibility of a split beam to feed the south hall	1
<b>W.K. Lacey/E. Klassen</b>	<b>2</b>
TRI-DN-73-13 - CAMAC control console setpoint controller plus appendix A and B	1
TRI-DN-73-35 - Combination magnet control - modifications to power supplies	1
<b>M. Marki</b>	<b>2</b>
TRI-DN-84-48 - Completion of a 69 MHz/10kW amplifier	1
TRI-DN-84-50 - Generation of trapezoidal voltage pulses of high frequencies	1
<b>Y.-N. Rao/R. Baartman</b>	<b>2</b>
TRI-DN-04-01 - Investigation of polarities of quadrupoles in ISIS	1
TRI-DN-07-18 - Beamline 2A optics: calculations and measurements	1
<b>MRS group</b>	<b>2</b>
TRI-DN-84-21 - Drift lengths in beam line 4B	1
TRI-DN-84-22 - Effective edges and edge-angles for beam line 4B benders	1
<b>T. Suzuki</b>	<b>2</b>
88-K2 - Emittance growth and beam loss by betatron resonances in high intensity proton synchrotrons.	1
88-K5 - Analytical expressions for spurious dispersion	1
<b>N. Giffin</b>	<b>2</b>
TRI-DN-00-23 - Detailed documentation of the ISAC IBRMS development (Rev03)	1
TRI-DN-84-23 - TRIUMF dosimeter program	1
<b>D.H. Yuan</b>	<b>2</b>
TRI-DN-83-03 - Improvement to the properties of H- ion source	1
TRI-DN-83-53 - H- ion temperature measurement at TRIUMF	1
<b>N. Khan</b>	<b>2</b>
TRI-DN-88-01 - Second arm spectrometer pole deflections	1
TRI-DN-94-25 - Stress calculations on TRD transportation dolly	1
<b>E.J.N. Wilson</b>	<b>2</b>
88-K20 - Sextupole patterns and the 2v x -2v y coupling.	1
88-K21 - An elementary approach to synchrotron resonances	1
<b>O.K. Fredriksson</b>	<b>2</b>
TRI-DN-73-38 - Removal of temporary and installation of permanent centre post	1
TRI-DN-76-03 - Low temperature cryo-pumps	1
<b>M. Harold</b>	<b>2</b>
88-K23 - Preliminary designs for the driver quadruples QF and QD	1
88-K24 - A preliminary design for the driver dipole	1
<b>P. Lanz/M. Zach</b>	<b>2</b>
TRI-DN-88-36 - Measurements on the 92 MHz rf booster cavity	1
TRI-DN-92-20 - General comments on conditioning of rf resonators (multipactoring)	1
<b>R. Laxdal</b>	<b>2</b>
88-K43 - H-extraction energy	1
88-K97 - H-extraction parameters	1



<b>P. Reeve/C. Haddock</b>	<b>2</b>
TRI-DN-87-35 - DASS/SASP quadrupole Q1	1
TRI-DN-88-17 - DASS/SASP quadrupole Q2 design note	1
<b>M. Barnes et al.</b>	<b>2</b>
88-K76 - Influence of stray capacitance and delay of storage line upon the performance of the 1 MHz ch	1
88-K87 - Estimation of negative mutual coupling between adjacent cells of a magnetic kicker	1
<b>R. Abegg</b>	<b>2</b>
TRI-DN-85-14 - BL4 beam halo scraper system	1
TRI-DN-87-25 - Beam line 4C (polarized neutron facility)	1
<b>D. Orrell</b>	<b>2</b>
88-K91 - Programs to generate PE2D and TOSCA models	1
88-K99 - TOSCA modelling of Driver quadrupole	1
<b>R. Blaby/R. Gadd</b>	<b>2</b>
TRI-DN-83-47 - Development of a shell for the T.P.C. gas target	1
TRI-DN-83-52 - Window for the MRS vacuum horn	1
<b>J. Pearson</b>	<b>2</b>
88-K95 - Guide to using the channel group of programs	1
88-K96 - Field design of magnetic channel No.1 from the H-extraction scheme	1
<b>C.W. Planner</b>	<b>2</b>
TRI-DN-84-63 - A preliminary investigation of charge exchange injection for the TRIUMF KAON factory u	1
TRI-DN-85-26 - Injection into the accumulator	1
<b>M. Barnes /emet</b>	<b>2</b>
90-K123 - PSpice simulation of the 1 MHz chopper, including a CY1172 tetrode model	1
90-K153 - [Centre-feed storage cable with a two-tetrode versi<:>n of 1 MHz chopper] -(Jed November 1	1
<b>R. Gadd</b>	<b>2</b>
TRI-DN-92-07 - Detector platform SASP	1
TRI-DN-93-13 - Vacuum box calculations for 35o and 12o bending magnets parity beam line	1
<b>G.S. Clark et al.</b>	<b>2</b>
90-K157 - Report of the PDS naming convention commmittee revision	1
90-K158 - The TRIUMF KAON Factory Mnemonic device naming convention revision 1	1
<b>R. Lueck</b>	<b>2</b>
TRI-DN-73-34 - Alignment of combination magnets	1
TRI-DN-74-08 - Secondary emission monitor	1
<b>N. Marks</b>	<b>2</b>
92-K210 - Disturbance generated in the booster magnet networks by the energy make-up pulses (Dare	1
93-K222 - Investigation of programmed multpole magnets for the booster lattice	1
<b>R. Openshaw</b>	<b>2</b>
TRI-DN-00-08 - Flammable gas use at ISAC	1
TRI-DN-00-13 - Proposed ISAC gas handling facility	1
<b>A. Budzko</b>	<b>2</b>
93-K234 - Space-charge effects in the KAON booster	1
93-K235 - SOB2D program for beam dynamic simulation with space-charge	1
<b>R. van den Elzen</b>	<b>2</b>
TRI-DN-84-44 - Conceptual design 42 MeV beam line control system	1
TRI-DN-89-06 - TR30 wire standard and labelling convention	1
<b>R. E. Laxdal et al.</b>	<b>2</b>
93-K242 - Summary of Beam Development for KAON November 1992-January 1993	1

93-K243 - Summary of the dc deflector high current test -April 1993	1
<b>R.B. Armenta/M.J. Barnes/G.D. Wait</b>	<b>2</b>
TRI-DN-04-24 - MuLan electric kicker development: summary of parasitic capacitance calculations	1
TRI-DN-04-25 - MuLan electric kicker development: rf noise generated by the main feed of the 315 V po	1
<b>A. Dowling</b>	<b>2</b>
TRI-DN-06-20 - T2K TPC wall analysis -- draft	1
TRI-DN-07-07 - Discussion and supporting calculations related to the sizing of the burst disc on the medi	1
<b>R.B. Armenta/M.J. Barnes/O. Hadary/ G.D. Wait</b>	<b>2</b>
TRI-DN-05-01 - AGS A10 injection kicker development: Deflection angle uniformity and cell inductance l	1
TRI-DN-05-05 - AGS A10 injection kicker development: Deflection angle uniformity and cell inductance l	1
<b>H. Sprenger</b>	<b>1</b>
TRI-DN-84-71 - M15 (M13) installation radiation exposure report shut-down period March 4 to April 30,	1
<b>R. Garoby</b>	<b>1</b>
92-K213 - Some comments on the design of rf systems for the KAON Factory (CERN)	1
<b>G.H. Rees/Koscielniak</b>	<b>1</b>
89-KI02 - Modulation alternatives for the longitudinal emittance dilution cavities	1
<b>A.S. Arrott</b>	<b>1</b>
TRI-DN-78-01 - Effect of using of H2O in the D20 compartment of the TNF at startup	1
<b>V. Verzilov</b>	<b>1</b>
TRI-DN-05-16 - Proposal for the micro-channel plate based ISAC-II time-of-flight monitor	1
<b>J. Macdonald</b>	<b>1</b>
TRI-DN-79-05 - Muon facilities at TRIUMF	1
<b>MBarnes/GWait/RBarnes</b>	<b>1</b>
88-K49 - Capacitance measurements on pre-prototype kicker magnet capacitor plates	1
<b>A. Sekulovich</b>	<b>1</b>
TRI-DN-94-04 - Vane modifications for the ISAC prototype radiofrequency quadrupole	1
<b>P.A. Iteeve</b>	<b>1</b>
90-K151 - Design of an accumulator quadrupole	1
<b>J. Rogers</b>	<b>1</b>
TRI-DN-84-12 - PDP-11 software for the kinetics systems 2051 CAMAC branch highway driver	1
<b>T. Kleckner/A. Mitra</b>	<b>1</b>
TRI-DN-95-25 - Higher order mode damping of CERN LHC-PS 40 MHz cavity	1
<b>J. Rogers/R. Harrop/G.H. Coombes</b>	<b>1</b>
TRI-DN-88-27 - Design of a detector for brain PET	1
<b>W. Rawnsley</b>	<b>1</b>
TRI-DN-90-14 - A current mirror circuit to bias beam intercepting pick up electrodes	1
<b>J. Wrobel/D. Evans</b>	<b>1</b>
TRI-DN-74-30 - Dipole survey systems	1
<b>M. Butler &amp; S. Koscielniak</b>	<b>1</b>
88-K27 - Scattering cross sections for 9Be, 12C, 16O and 27Al	1
<b>J.A. Lidbury</b>	<b>1</b>
TRI-DN-74-36 - Proposed new non-active cooling system for the Meson Area	1
<b>M.BarnesfWait</b>	<b>1</b>
88-K75 - Analysis of the transient response of magnetic kickers for the KAON factory	1
<b>A. Stetz</b>	<b>1</b>
TRI-DN-81-08 - A users' guide to the MRS	1
<b>G.D. Wait /emet</b>	<b>1</b>

90-K130 - Personnel and equipment protection interlock system for the prototype 1 MHz beam chopper	1
<b>A. Susini</b>	<b>1</b>
TRI-DN-82-27 - An investigation of rf problems at TRIUMF	1
<b>R. Baartman/Zotter</b>	<b>1</b>
90-K177 - Longitudinal stability of hollow beams II: mode-coupling theory	1
<b>J.E. . Griffin</b>	<b>1</b>
TRI-DN-84-41 - Adapting Fermilab booster rf cavities to the TRIUMF KAON booster	1
<b>A. Prochazka / K.L. Erdman / M. Zach</b>	<b>1</b>
TRI-DN-70-33 - RF square wave	1
<b>G. Cojocaru</b>	<b>1</b>
TRI-DN-95-34 - A proposal for an ISAC microwave ion source	1
<b>U. Wienands/M.K. Craddock</b>	<b>1</b>
TRI-DN-86-07 - Variation of cost of KAON Factory accelerators with beam energy and intensity	1
<b>J.G. Rogers/J.S. Vincent</b>	<b>1</b>
TRI-DN-75-10 - T2 spill calculations	1
<b>W. Falk</b>	<b>1</b>
TRI-DN-96-17 - Momentum calibration for the MRS Spectrometer	1
<b>J.H. Spencer</b>	<b>1</b>
TRI-DN-88-30 - Beam-load	1
<b>W.R. Rawnsley</b>	<b>1</b>
TRI-DN-74-17 - Chopper/Buncher/Selector electronics	1
<b>B.D. Pate</b>	<b>1</b>
TRI-DN-83-38 - Measurement of some performance characteristics of the UBC PETT VI positron emission source	1
<b>D.H. Yuan/Y.H. Mori</b>	<b>1</b>
TRI-DN-90-24 - Collaboration with KEK on H- cusp source	1
<b>J.I.M. Botman/M.K. Craddock/R. Servranckx</b>	<b>1</b>
TRI-DN-83-33 - Dispersion suppressors for the main 30 GeV ring	1
<b>D. Pavlik</b>	<b>1</b>
88-K39 - A review of energy storage chokes for rapid cycling synchrotrons	1
<b>B.D. Pate/R. Robertson/T.J. Ruth</b>	<b>1</b>
TRI-DN-85-03 - Radionuclide production	1
<b>Haddock/Reeve/Evans/Livesey</b>	<b>1</b>
88-K60 - Prototype booster magnet measurements	1
<b>J.J. Burgerjon/J. Lenz</b>	<b>1</b>
TRI-DN-80-10 - Cooling of 500 MeV radio-gas target	1
<b>M. Barnes/Wait</b>	<b>1</b>
88-K86 - Kicker magnet fill-time & parameter	1
<b>J.J. Burgerjon/J. Lenz/B.T. Trevitt</b>	<b>1</b>
TRI-DN-79-08 - Long distance rabbit tests	1
<b>R.E. Laxdal et al.</b>	<b>1</b>
90-K114 - Emittances of extracted H-beams	1
<b>J.J. Burgerjon/R. Thomas</b>	<b>1</b>
TRI-DN-78-13 - Irradiation facility for isotope production concept #2	1
<b>E. Blackmore</b>	<b>1</b>
90-K141 - Considerations in the design of an electrostatic pre-septum using low Z wires	1
<b>J.J. Burgerjon/R.E. Blaby/J. Lenz/M. Hone/T. Hodges</b>	<b>1</b>
TRI-DN-83-23 - Commissioning test TNF target Mk2#1	1

<b>D. Revell et al.</b>	<b>1</b>
90-K165 - Remote cutting and welding of vacuum flanges downstream of a production target	1
<b>J.J. Burgerjon/Z. Gelbart/V. Lau/J. Lenz/B.D. Pate/T.J. Ruth/H.P. Sprenger/N. van Oers</b>	<b>1</b>
TRI-DN-83-27 - Transportation of radio-isotopes via a long air-chute	1
<b>A. Iliev /Senichev</b>	<b>1</b>
91-K193 - Racetrack lattice study for the KAON Booster	1
<b>J.J. Pon/E. Klassen/K.S. Lee/M.M. Mouat</b>	<b>1</b>
TRI-DN-01-27 - Hardwatch user's guide	1
<b>A.N. Koveshnikov/R.E. Laxdal/R.S. Orr/I. Sekachev/I. Slobodov/W. Trischuk/D. Yosifov</b>	<b>1</b>
TRI-DN-08-20 - 2K cryostat testing	1
<b>J.J. Pon/J.E. Richards</b>	<b>1</b>
TRI-DN-01-26 - The TRIUMF library software program	1
<b>J. Keightley /G. Stanford</b>	<b>1</b>
TRI-DN-83-26 - Resonator vibration study -- 1983	1
<b>J.L. Beveridge/G.S. Clark/C.R. Mark</b>	<b>1</b>
TRI-DN-94-02 - Conceptual design of a high current radioactive beam target facility (ISAC)	1
<b>D. Measday</b>	<b>1</b>
TRI-DN-82-21 - Physics at a kaon factory and its dependence on the machine parameters	1
<b>A. Dowling/E. Blackmore</b>	<b>1</b>
TRI-DN-06-06 - BL2A collimator thermal analysis	1
<b>G.S. Clark/R. Kuramoto</b>	<b>1</b>
TRI-DN-05-10 - Dimensions of the M20 Q1Q2 vacuum chamber	1
<b>J.R.J. Bennett</b>	<b>1</b>
TRI-DN-00-25 - The ISAC high power target design	1
<b>D. Moss crop</b>	<b>1</b>
TRI-DN-86-25 - Improving beam quality of CP42	1
<b>G. Dutto/C.J. Kost/M.K. Craddock</b>	<b>1</b>
TRI-DN-72-03 - Considerations about differences between operation with fundamental and third harmonic	1
<b>W. Joho/C. Kost</b>	<b>1</b>
TRI-DN-73-11 - SPEAM", " a computer program for space charge beam envelopes	1
<b>J.T. Gleeson/J.I.M. Botman</b>	<b>1</b>
TRI-DN-84-47 - Build a lattice	1
<b>D. Reistad/Y. Yin</b>	<b>1</b>
TRI-DN-93-29 - Preliminary comments about instrumentation for ISOL/ISAC	1
<b>J.V. Cresswell</b>	<b>1</b>
TRI-DN-87-07 - GaAs progress report	1
<b>Y.-N. Rao/G.H. Mackenzie</b>	<b>1</b>
TRI-DN-04-08 - Calculations on LE2 probe head thickness and experimental measurements	1
<b>B.F. Milton/J.B. Pearson</b>	<b>1</b>
TRI-DN-89-19 - CASINO: calculation of spiral inflector orbits -- User's guide and reference manual	1
<b>C. Oram &amp; R. Baartman</b>	<b>1</b>
88-K6 - Vacuum requirements for the KAON Factory	1
<b>Jaap Doornbos</b>	<b>1</b>
TRI-DN-04-06 - Report on redesign of M20 and M9A beam lines	1
<b>I. Enchevich/R.L. Poirier</b>	<b>1</b>
TRI-DN-97-28 - Perpendicularly biased ferrite tuner for the CERN LHC cavity	1
<b>K. Brackhaus</b>	<b>1</b>

TRI-DN-71-35 - Preliminary calculations for the CRM amplitude control system	1
<b>D.P. Schumacher</b>	<b>1</b>
TRI-DN-84-15 - MINUIT - a new program structure	1
<b>B.L. White</b>	<b>1</b>
TRI-DN-70-35 - Correcting the effects of transverse fringe fields on the horizontal section of the injection	1
<b>L. Root</b>	<b>1</b>
88-K44 - Preliminary optical analysis of the H-extraction system	1
<b>K. Fong</b>	<b>1</b>
TRI-DN-89-33 - User's guide to NODE -- circuit analysis program	1
<b>V. Rodel et al.</b>	<b>1</b>
88-K53 - Temperature rise in the transmission line of the 1 MHz chopper	1
<b>K. Fong/D. Dohan/V. Pacak</b>	<b>1</b>
TRI-DN-88-14 - Internal phase probe	1
<b>J. Lenz</b>	<b>1</b>
88-K66 - Measured properties of square copper conductors with a plasma sprayed alumina coating	1
<b>G. Dutto/M.K. Craddock</b>	<b>1</b>
TRI-DN-71-21 - Influence of an asymmetric dee gap geometry on the properties of the accelerated beam	1
<b>J. Beveridge/G.S. Clark</b>	<b>1</b>
TRI-DN-93-15 - Conceptual design of a high current radioactive beam target facility (TISOL2)	1
<b>K. Jayamanna/D. Yuan/M. Olivo</b>	<b>1</b>
TRI-DN-04-03 - ECR source development work at the ion source test stand and at the east target station	1
<b>F. Pedersen</b>	<b>1</b>
TRI-DN-86-31 - A dual harmonic rf system for rf stacking in longitudinal phase space for a 100 GeV external	1
<b>K. Jayamanna/D. Yuan/R. Baartman/R. Laxdal/M. McDonald/M. Olivo</b>	<b>1</b>
TRI-DN-01-12 - A proposal for OLIS upgrade	1
<b>T. Gathright/Reeve</b>	<b>1</b>
90-KI07 - Booster quadrupole laminated core checks	1
<b>K. Jayamanna/D. Yuan/T. Kuo/M. McDonald</b>	<b>1</b>
TRI-DN-96-11 - Microwave driven multipurpose ion source for the ISAC off-line terminal	1
<b>J. Cresswell</b>	<b>1</b>
TRI-DN-85-13 - Status report on GaAs CCD serial registers	1
<b>K. Jayamanna/K. Golovanivsky/D. Yuan</b>	<b>1</b>
TRI-DN-93-31 - Experimental study of the self-sustained leakage current discharge in the Vertical Section	1
<b>V.N. Aseev et al.</b>	<b>1</b>
90-K135 - A method to measure the transverse and longitudinal emittances of an H-beam	1
<b>K. Jayamanna/M. Olivo/D. Yuan</b>	<b>1</b>
TRI-DN-04-04 - ECR #2 ion source studies at the ISAC test stand	1
<b>[C. Planner/Rees]</b>	<b>1</b>
90-K147 - [A modified form for FNL/TRIUMF/LANL Booster type 50 MHz cavities] -(v'ed November 1990)	1
<b>K. Lukas</b>	<b>1</b>
TRI-DN-87-04 - Pyrolytic graphite at TRIUMF	1
<b>J. Crockett</b>	<b>1</b>
TRI-DN-70-51 - Magnet pole profile revision to 1290670 (limited distribution)	1
<b>K. Oxorn/R.B. Moore</b>	<b>1</b>
TRI-DN-84-68 - An interim report on the ion beam optics of the proposed TRIUMF-ISOL project	1
<b>R. Laxdal/Joho</b>	<b>1</b>
90-K172 - Altering the time structure of a cyclotron beam by superposition of different harmonics	1

<b>K. Reiniger</b>	<b>1</b>
TRI-DN-01-13 - Beam line 1A refurbishing	1
<b>[G.H. Rees]</b>	<b>1</b>
91-K184 - [Extra space in the Booster ring] -(y'ed November 1991 please see KAON office for copies)	1
<b>K.L. Erdman</b>	<b>1</b>
TRI-DN-71-02 - RF stability criteria	1
<b>A. Susini</b>	<b>1</b>
94-K202 - A novel equation for magnetic coupled rf resonators	1
<b>K.R. Buckley</b>	<b>1</b>
TRI-DN-90-02 - H- stripper foil development on the CP42 cyclotron	1
<b>V.E. Shapiro/Poirier</b>	<b>1</b>
93-K224 - Magnetic loss and instabilities in ferrite garnet tuned RF cavities for synchrotrons	1
<b>K.R. Kendall</b>	<b>1</b>
TRI-DN-85-06 - The third buncher	1
<b>I. Enchevic et al.</b>	<b>1</b>
93-K247 - RF experiments with the magnetron-type varactors	1
<b>K.S. Golovanivsky/K. Jayamanna/P. Schmor</b>	<b>1</b>
TRI-DN-93-25 - Physical fundamentals of H- ion sources Part I : Atomic and molecular processes	1
<b>P. Grant / K.S. Lee / J. Richards</b>	<b>1</b>
TRI-DN-90-11 - CCS upgrade database conceptual design	1
<b>K.S. Golovanivsky/K. Jayamanna/T. Kuo/P. Schmor/D. Yuan</b>	<b>1</b>
TRI-DN-93-27 - Proposal for a compact gyroc device at TRIUMF	1
<b>T. Harrison/R.R. Johnson</b>	<b>1</b>
TRI-DN-79-09 - CAMAC QROUTINES for Z-80 based systems	1
<b>K.S. Morrison</b>	<b>1</b>
TRI-DN-94-24 - An object-oriented hypermedia navigation/authoring system for research groups	1
<b>T. Ries/R. Trelle</b>	<b>1</b>
TRI-DN-86-14 - Design review of proposed "XC tank lid penetration" by RH	1
<b>K.S. Morrison/M.W. Stazyk/K.R. Buckley</b>	<b>1</b>
TRI-DN-94-21 - An I860 based data acquisition system for positron volume imaging	1
<b>T.L. Templeton/A.S. Arrott/P.A. Reeve</b>	<b>1</b>
TRI-DN-77-18 - Spill calculations and beam collimation in beam line 1A between T1 and TNF	1
<b>K.W. Reiniger</b>	<b>1</b>
TRI-DN-83-15 - Power supply requirements for pulsed operation of CERN ISR Magnets	1
<b>V. Pacak</b>	<b>1</b>
TRI-DN-82-04 - The TRIUMF liquid-helium cryopump	1
<b>L. Buchmann/M. Dombisky/J.M. D'Auria/M. McDonald/E. DeVita/H. Schneider/A.J. Otter/H. Sprenger/P.W. Schmor</b>	<b>1</b>
TRI-DN-86-21 - The design of an on-line ECR-source for an ISOL	1
<b>V. Sossi</b>	<b>1</b>
TRI-DN-87-21 - ( $\pi$ ", " $2\pi$ ) scattering review	1
<b>L. Friesen</b>	<b>1</b>
TRI-DN-71-11 - User's guide to the TRIMFIT code	1
<b>V. Zvyagintsev</b>	<b>1</b>
TRI-DN-04-13 - RF calculations of the coupler line for ISAC-II superconductive quarter wave resonators	1
<b>G. H. Rees</b>	<b>1</b>
TRI-DN-85-25 - Solutions of the envelope equations for the Booster under space charge	1

<b>W. Andersson</b>	<b>1</b>
TRI-DN-88-09 - M9 solenoid power lead piping pressure drop calculations	1
<b>G. Mackenzie/C. Meade</b>	<b>1</b>
TRI-DN-73-14 - Operating temperature of beam defining slits	1
<b>W. Gelbart/E. Knight/J. Vincent</b>	<b>1</b>
TRI-DN-97-21 - An irradiation facility for beam line 4B2	1
<b>L. Lee/T. Ries/K. MacDonald</b>	<b>1</b>
TRI-DN-99-34 - The G0 magnetic field mapper project	1
<b>W. Kleeven/R. Baartman</b>	<b>1</b>
TRI-DN-90-20 - Beam matching and emittance growth resulting from spiral inflectors for cyclotrons	1
<b>L. Milinkovic</b>	<b>1</b>
TRI-DN-89-21 - RELAX3D spiral inflectors	1
<b>W.D. Ramsay/D.A. Hutcheon</b>	<b>1</b>
TRI-DN-88-39 - Measurement of cyclotron time structure	1
<b>C. Bryson</b>	<b>1</b>
TRI-DN-72-17 - Beam line 1 19.8 deg bend/vacuum box design calculations	1
<b>W.L. Talbert/D.M. Drake/J.W. Lenz/M.T. Wilson</b>	<b>1</b>
TRI-DN-00-31 - Development of high power target concepts	1
<b>L. Moritz/ J. Drozdoff/ G. Dutto/ F. Mammarella/ M. Mouat/R. Ruegg</b>	<b>1</b>
TRI-DN-03-07 - Safety critical monitoring for prompt radiation hazards at TRIUMF	1
<b>Y. Yin/R. Baartman</b>	<b>1</b>
TRI-DN-91-07 - Energy measurement for the injection line H- beam by laser stripping	1
<b>L. Moritz/J. Drozdoff/G. Stinson/ M. Stenning</b>	<b>1</b>
TRI-DN-03-06 - Investigation of beam trips in BL2A	1
<b>D.A. Hutcheon/J. Lisantti/J. Tinsley</b>	<b>1</b>
TRI-DN-83-08 - A users' guide to the MRS data acquisition systems DACS	1
<b>L. Moritz/M. Poon</b>	<b>1</b>
TRI-DN-79-13 - Projected residual radiation levels in the TRIUMF cyclotron and vault	1
<b>A.K. Mitra (for ISAC RF group)</b>	<b>1</b>
TRI-DN-01-14 - RF structures for the TRIUMF-ISAC facility	1
<b>L. Onischenko</b>	<b>1</b>
TRI-DN-73-10 - Nonintercepting beam current probe for TRIUMF injection line	1
<b>R. Baartman &amp; C. Oram</b>	<b>1</b>
88-K13 - Beam pipe impedances for the KAON Factory	1
<b>C. Haddock</b>	<b>1</b>
TRI-DN-88-06 - Wien filter design	1
<b>A. Otter/R. Gadd</b>	<b>1</b>
TRI-DN-92-14 - SASP shadow shield attachment	1
<b>L. Rezzonico/M. Zach</b>	<b>1</b>
TRI-DN-96-10 - WAERME - a heat transfer code in one dimension and time	1
<b>I.B. Enchevich/R.L. Poirier/V.A. Kuznetsov/M.I. Kuznetsov/V.V. Paramonov/P.I. Reingardt-Nikulin/Yu.V. Senichev</b>	<b>1</b>
TRI-DN-94-16 - RF experiments with magnetron-type varactors	1
<b>C. Haddock/D. Evans/P.A. Reeve</b>	<b>1</b>
TRI-DN-88-28 - Chicago magnet modifications: POISSON modelling and field mapping	1
<b>H. Sasaki/KEK</b>	<b>1</b>
88-K29 - Design of the energy-storage choke for the Booster ring magnet system	1

<b>L. Root/R. Baartman</b>	<b>1</b>
TRI-DN-02-15 - Solenoids for the ISAC2 SC linac	1
<b>EJones/COram</b>	<b>1</b>
88-K35 - Design of the vacuum system -cost estimating and major design considerations	1
<b>L. Root/R. Laxdal/A. Papash</b>	<b>1</b>
TRI-DN-93-14 - TR 13 magnet design	1
<b>G. Guignard</b>	<b>1</b>
88-K42 - Possible lattice design for the extender ring	1
<b>C. Hunt</b>	<b>1</b>
TRI-DN-95-29 - CP42 hot cell ventilation project	1
<b>D.R. Heywood</b>	<b>1</b>
TRI-DN-72-18 - General equipment control interface specification	1
<b>L.E. Moritz</b>	<b>1</b>
TRI-DN-76-09 - Use of threshold detectors	1
<b>G. Rees</b>	<b>1</b>
88-K51 - Space for a longitudinal beam loss collector in the d ring	1
<b>L.E. Moritz/P.T. Moskven</b>	<b>1</b>
TRI-DN-80-17 - TRIUMF safety group thyroid counter	1
<b>DReich</b>	<b>1</b>
88-K55 - E ring slow extraction magnetic septum: concept design	1
<b>G. Mackenzie/D. Tse</b>	<b>1</b>
TRI-DN-85-22 - Beam profiles measured by an aged harp compared with those measured by an aged sc	1
<b>R.Baartman/F.Jones</b>	<b>1</b>
88-K62 - Transport equations for ACCSIM	1
<b>M. Castiglioni</b>	<b>1</b>
TRI-DN-84-35 - Vibration amplitude of the hot arm (revised)	1
<b>D.W. Becker/K.R. Buckely</b>	<b>1</b>
TRI-DN-02-23 - Production of $^{13}\text{N}$ via $^{16}\text{O}(p, \alpha)^{13}\text{N}$ on the TR13	1
<b>G. Riabov</b>	<b>1</b>
TRI-DN-93-22 - Matching the TISOL beam to an RFQ	1
<b>H. Lustig</b>	<b>1</b>
88-K79 - Status report on the control of the power supplies	1
<b>M. LeNoble</b>	<b>1</b>
TRI-DN-89-30 - OHMIC contacts to N-doped gallium arsenide	1
<b>G.F. Wellman</b>	<b>1</b>
88-K84 - Transverse space charge simulation in DIMAD	1
<b>M. Maerki/M. Zach</b>	<b>1</b>
TRI-DN-93-10 - A new matching section for the TRIUMF resonator	1
<b>J. Birchall</b>	<b>1</b>
TRI-DN-81-07 - Systematic errors occurring in experiment 121 to detect charge symmetry breaking in n-	1
<b>G. Roy</b>	<b>1</b>
TRI-DN-90-21 - An improved Wien filter for OPPIS	1
<b>C. Planner et al.</b>	<b>1</b>
88-K98 - A separated H- injection system in a modified accumulator lattice for the TRIUMF KAON factory	1
<b>M. Marki/M. Zach</b>	<b>1</b>
TRI-DN-84-57 - RF deflectors	1
<b>F.F. Szlavik</b>	<b>1</b>



TRI-DN-90-03 - Residual gamma dose rates in the cyclotron vacuum tank	1
<b>M. McDonald</b>	<b>1</b>
TRI-DN-03-17 - TITAN RFQ cooler high voltage interlocks conceptual design	1
<b>T. Hodges/Langstaff</b>	<b>1</b>
90-K111 - Prototype 'bare' rotating target	1
<b>M. Mouat/G.H. Mackenzie</b>	<b>1</b>
TRI-DN-88-42 - Pseudo-wire scanner; precision profiles via beam sweeping	1
<b>R. Helmer</b>	<b>1</b>
90-K117 - Neutrino facility	1
<b>M. Palmer/E. Grochowski/M. Hausser</b>	<b>1</b>
TRI-DN-86-37 - Errors in the installed program for model conversion of PET image data to LCMRG1c (LC	1
<b>W.R. Smythe</b>	<b>1</b>
90-K125 - A study of higher order booster cavity modes	1
<b>M. Palmer/M. Bergstrom</b>	<b>1</b>
TRI-DN-84-58 - Resolution effects on region of interest evaluation in PET	1
<b>D.E. Lobb</b>	<b>1</b>
90-K132 - A short sextupole for the KAON extender ring	1
<b>M. Pasini/R.E. Laxdal</b>	<b>1</b>
TRI-DN-01-08 - ISAC-II: Beam studies with multi-charge beams	1
<b>M.K. Craddock/Baartman</b>	<b>1</b>
90-K138 - Magnet waveforms	1
<b>M. Pasini/R.E. Laxdal/A. Bandyopadhyay</b>	<b>1</b>
TRI-DN-03-03 - Misalignment studies of the medium beta section of the ISAC-II superconducting Linac	1
<b>G. Stinson</b>	<b>1</b>
90-K145 - Polarized beam in the KAON experimental area	1
<b>M. Popovic/R. Pleydon/S. Yen</b>	<b>1</b>
TRI-DN-98-09 - Momentum calibration for the SASP spectrometer	1
<b>J. Cresswell/M. LeNoble</b>	<b>1</b>
TRI-DN-86-01 - Gallium arsenide: progress report	1
<b>M. Schneider</b>	<b>1</b>
TRI-DN-05-21 - Harmonics analysis on TRIUMF cyclotron RF system	1
<b>R. Laxdal</b>	<b>1</b>
90-K155 - Possible protection devices for H-extraction	1
<b>C. Kost/P. Reeve</b>	<b>1</b>
TRI-DN-82-28 - REVMOC: A Monte Carlo beam transport program	1
<b>G. S. Clark</b>	<b>1</b>
90-K162 - Further study of the extender ring slow extraction	1
<b>M.J. Barnes</b>	<b>1</b>
TRI-DN-92-08 - Review of the requirements and specifications for the next generation of automated ma	1
<b>E. Zaplatine/R.L. Poirier</b>	<b>1</b>
TRI-DN-97-22 - ISAC RFQ cavity study	1
<b>M.J. Barnes/D. Evans/D. Morris/P.A. Reeve/G. Waters</b>	<b>1</b>
TRI-DN-94-28 - Definition of functionality of the magnet measurement system software	1
<b>M.R. Harold</b>	<b>1</b>
90-K175 - Trim quadrupoles in the Booster orbit correctors?	1
<b>C. Manz</b>	<b>1</b>
TRI-DN-87-31 - Resonance studies for the KAON Factory Booster ring	1

<b>E.G. Auld</b>	<b>1</b>
TRI-DN-73-09 - Magnetic fields in the main building	1
<b>A. Faltens</b>	<b>1</b>
TRI-DN-82-07 - Injector kickers	1
<b>G.D. Wait</b>	<b>1</b>
91-K189 - Phase matching of kicker holes in the Booster and Collector	1
<b>M.K. Craddock/C. Kost</b>	<b>1</b>
TRI-DN-74-21 - Bz coils powered in pairs or triplets	1
<b>P.A. Reeve et al.</b>	<b>1</b>
91-K197 - Evaluation of Morgan coils for booster quadrupole	1
<b>G. Stanford</b>	<b>1</b>
TRI-DN-83-19 - Mechanical testing of the Mark I prototype resonator segment	1
<b>J. Doornbos/P.H. Pile</b>	<b>1</b>
TRI-DN-97-24 - A two-stage separated 800 MeV/c kaon beam line	1
<b>MRS Group &amp; C. Kost</b>	<b>1</b>
TRI-DN-84-11 - Horizontal transfer matrix elements for the BL4 extraction port	1
<b>F.W. Jones</b>	<b>1</b>
92-K221 - Supplement to ACCSIM user's guide	1
<b>G. Strini</b>	<b>1</b>
TRI-DN-72-23 - Measurement of stripped ions in TRIUMF	1
<b>A. Iliev /Servranckx</b>	<b>1</b>
93-K229 - Lattice studies for accumulator ring	1
<b>G. Tsang/C. Moisan/J.G. Rogers</b>	<b>1</b>
TRI-DN-94-34 - A simulation platform for the design of position encoding multicrystal detectors	1
<b>J. Drozdoff/G. Roy/L. Moritz</b>	<b>1</b>
TRI-DN-00-10 - Test of the response time of the TRIUMF neutron monitoring system	1
<b>N. Lecesne/P. Bricault</b>	<b>1</b>
TRI-DN-05-23 - Description of the new 6 GHz ECR ion source (MISTIC) for on-line applications	1
<b>I. Criegee</b>	<b>1</b>
88-K78 - A study of the slow extraction at the KAON factory.	1
<b>C. Moisan/J.G. Rogers/V. Sossi</b>	<b>1</b>
TRI-DN-94-13 - Study of the count rate in a wholebody PET tomograph	1
<b>L. Root / E.W. Blackmore</b>	<b>1</b>
TRI-DN-70-58 - The design of an electrostatic inflector	1
<b>N.E. Davison</b>	<b>1</b>
TRI-DN-83-02 - Proton booms for experiment 121 "Test of charge symmetry"	1
<b>J. Drozdoff / L. King / L. Moritz</b>	<b>1</b>
TRI-DN-01-20 - (R2) The TRIUMF 500 MeV accelerator facility access control interlock system: functional	1
<b>O. Hadary/M. Barnes/G. Wait</b>	<b>1</b>
TRI-DN-04-26 - Capacitance of TITAN RFQ driver and RFQ structure", " extraction electrode consideration	1
<b>T. Enegren/V. Pacak</b>	<b>1</b>
TRI-DN-82-16 - Preliminary measurements on cyclotron model	1
<b>O. Hausser/K.P. Jackson/R.L. Helmer/P. Lewis/C. Kost</b>	<b>1</b>
TRI-DN-84-03 - Charge exchange reactions at TRIUMF: calculations of background from neutron scatter	1
<b>T. Hodges/J. McIlroy/A. Otter</b>	<b>1</b>
TRI-DN-84-69 - The new edge cooled aluminum window 1AW2	1
<b>O. Meirav/M. Adam/E. Venczel/R.R. Johnson/M. Paul/E. Boaretto</b>	<b>1</b>

TRI-DN-91-04 - 129Iodine concentrations in spent resins from reactor power stations	1
<b>D. Li</b>	<b>1</b>
TRI-DN-96-15 - Calculation study of central region for K-44 cyclotron	1
<b>O. Smith</b>	<b>1</b>
TRI-DN-77-14 - Secondary emission monitor	1
<b>A. Otter/A. Richardson</b>	<b>1</b>
TRI-DN-95-12 - Tests on the current rating of flexible cable for use in vacuum	1
<b>G. Vickers</b>	<b>1</b>
TRI-DN-72-05 - Open circuit protection for magnet coil	1
<b>G.S. Clark/D. Preddy</b>	<b>1</b>
TRI-DN-94-12 - Installation instructions for the CHARGEX facility	1
<b>Owen Smith</b>	<b>1</b>
TRI-DN-78-03 - External alignment of the rad-hard quadrupoles in the vicinity of T1	1
<b>D. Morris</b>	<b>1</b>
TRI-DN-87-42 - KERMIT", " modems and homework	1
<b>P. Bennett/M. Poon/J. Stanley/G. Dutto</b>	<b>1</b>
TRI-DN-79-16 - Beam Line 4C studies	1
<b>V. Aseev/J. Beveridge</b>	<b>1</b>
TRI-DN-92-01 - Surface muons in the soenoid helios	1
<b>C. Morin/C. Morrison/K. Pedersen/T. Ruth</b>	<b>1</b>
TRI-DN-87-40 - Automation of 11CO2	1
<b>V. Pacak/K. Fong/T. Enegren/D. Dohan</b>	<b>1</b>
TRI-DN-88-23 - Machine and model results of the interaction between third harmonic resonance and ot	1
<b>P. Bricault/A. Dowling/L. Udy</b>	<b>1</b>
TRI-DN-05-22 - Electron beam heating system for ISAC high power target	1
<b>V. Shestak/C.J. Kost/D.B. Steski/R. Burge/S. Kornak</b>	<b>1</b>
TRI-DN-87-36 - Electron beam probe for ion beam diagnostics (original and revision A)	1
<b>P. Bricault/A. Dowling/M. Lane/M. Dombisky/L. Udy</b>	<b>1</b>
TRI-DN-03-10 - Electron beam heating	1
<b>V. Sum/S. Yen</b>	<b>1</b>
TRI-DN-95-17 - Hall probe calibration for beam line 4A/2 and 4B quadrupoles	1
<b>P. Cronje</b>	<b>1</b>
TRI-DN-90-09 - COMA Modifications: Gradient field impulse	1
<b>V. Verzilov/D. Cameron/D. Gray/S. Kellogg/B. Minato/W. Rawnsley</b>	<b>1</b>
TRI-DN-06-01 - A wideband intercepting probe for the TRIUMF cyclotron	1
<b>P. Delheij</b>	<b>1</b>
TRI-DN-84-34 - A target for scattering of high-energy protons from polarized protons	1
<b>V.A. Kuznetsov/M.I. Kuznetsov/V.V. Paramonov/P.I. Reingardt-Nikulin/Yu.V. Senichev/I.B. Enchevich/R.L. Poirier</b>	<b>1</b>
TRI-DN-94-22 - Summary of results of the varactor development program at TRIUMF-Vancouver in colla	1
<b>C. Morrison/K. Pedersen/T. Ruth</b>	<b>1</b>
TRI-DN-87-41 - Low voltage ionization chamber	1
<b>G.S. Clark/T. Bowyer</b>	<b>1</b>
TRI-DN-89-12 - TRIUMF drawing numbering system	1
<b>P. Grant</b>	<b>1</b>
TRI-DN-90-16 - Central control system channel server project design	1
<b>W. Blackmore/S.Foster/G. Yorke</b>	<b>1</b>

TRI-DN-72-20 - Operation of Slo-Syn stepping motors in magnetic field	1
<b>P. Jones/M. Trinczek/R. Laxdal</b>	<b>1</b>
TRI-DN-08-19 - Rotating proton beam simulations for optimization of ISAC target temperatures	1
<b>W. Faszer</b>	<b>1</b>
TRI-DN-04-16 - Window material tests	1
<b>C. Ponting</b>	<b>1</b>
TRI-DN-86-39 - A comparative analysis of semiconductor nuclear-particle detectors	1
<b>D. Pearce</b>	<b>1</b>
TRI-DN-74-15 - Horizontal alignment of the vacuum tank	1
<b>G. Walsh</b>	<b>1</b>
TRI-DN-72-12 - Chemical blackening of copper	1
<b>W. Kleeven/J.B. Pearson</b>	<b>1</b>
TRI-DN-89-14 - Acceptance calculations for spiral inflectors	1
<b>P. Poffenberger</b>	<b>1</b>
TRI-DN-84-30 - A pedestrian's guide to the CSB delay-line chambers	1
<b>W. Kleeven/Z. Gelbart/J. Sura</b>	<b>1</b>
TRI-DN-90-06 - Design and optical properties of a buncher for the central region model of the TR30 cyclotron	1
<b>G.D. Morris</b>	<b>1</b>
TRI-DN-01-10 - ISAC polarimeter station	1
<b>W.A. Van Kampen/C.J. Cost</b>	<b>1</b>
TRI-DN-79-10 - Precessional injection into the CP42	1
<b>P. Reeve/W. Hsieh/C. Kost</b>	<b>1</b>
TRI-DN-77-06 - REVMOC 2	1
<b>W.J. Lester</b>	<b>1</b>
TRI-DN-71-14 - Isolation of controls on ISIS	1
<b>P. Schmor</b>	<b>1</b>
TRI-DN-75-03 - A guide to Relaxing at TRIUMF	1
<b>F. Ames</b>	<b>1</b>
TRI-DN-06-08 - Measurements on charge exchange cross sections for highly charged ions at low energy	1
<b>A. Bylinskii/V. Zvyagintsev</b>	<b>1</b>
TRI-DN-05-24 - ISAC-II SCRF cavities website: user and maintenance manual documentation	1
<b>W.L. Talbert/T.A. Hodges</b>	<b>1</b>
TRI-DN-94-01 - Conceptual design of targets for production of intense radioactive beams	1
<b>P. Verstraaten</b>	<b>1</b>
TRI-DN-89-28 - Investigation of dimensions along H- extraction trajectory	1
<b>D. Ridikas</b>	<b>1</b>
TRI-DN-08-01 - Radioactive inventory of the test uranium target at TRIUMF	1
<b>P.A. Grant</b>	<b>1</b>
TRI-DN-90-13 - An introduction to the TRIUMF central control system	1
<b>A.K. Mitra</b>	<b>1</b>
TRI-DN-92-26 - Present status of the ignitron crowbar of the main rf system of TRIUMF cyclotron	1
<b>P.A. Grant/M. Mouat</b>	<b>1</b>
TRI-DN-88-25 - Local area VAX clusters	1
<b>H. Schonauer</b>	<b>1</b>
TRI-DN-86-28 - TRI-100: Aperture requirements and injection	1
<b>C. Weidner</b>	<b>1</b>

TRI-DN-86-42 - PACMAN 'QQD2'	1
<b>D.C. Healey/D.A. Axen</b>	<b>1</b>
TRI-DN-72-06 - Cyclotron tank vacuum test - January 4th to February 15th," 1972	1
<b>P.A. Reeve/K. Gotow</b>	<b>1</b>
TRI-DN-81-01 - "Chicago Magnet" a large acceptance spectrometer	1
<b>F. Mammarella</b>	<b>1</b>
TRI-DN-01-24 - (Rev) Design considerations and operational configuration of the UPS power distribution	1
<b>C. Yamaguchi</b>	<b>1</b>
TRI-DN-85-11 - Some energy deposition and absorbed dose calculations for KAON Factory	1
<b>D. Wilkinson</b>	<b>1</b>
88-K4 - The KAON Factory and the atomic nucleus	1
<b>P.G. Bricault/W. Gyles</b>	<b>1</b>
TRI-DN-97-20 - Pre-separator magnet specifications	1
<b>H.R. Schneider</b>	<b>1</b>
TRI-DN-86-05 - The KAON Factory vacuum system -- some preliminary considerations	1
<b>C.A. Davis</b>	<b>1</b>
TRI-DN-95-35 - Properties of the TRIUMF CSB polarimeter on BL4A	1
<b>G.Clark</b>	<b>1</b>
88-K14 - Support of magnets	1
<b>P.P.J. Delheij</b>	<b>1</b>
TRI-DN-87-19 - Dynamic polarization of solid helium-3	1
<b>H.R. Schneider/J. Anderson/V. Derenchuck/S. Oh/H. Uzat/T. Ruth</b>	<b>1</b>
TRI-DN-86-40 - A compact H- cyclotron for PET isotope production	1
<b>Q. Walker</b>	<b>1</b>
TRI-DN-96-23 - Lifting and rotating equipment for the twin aperture quadrupole	1
<b>J. Beveridge &amp; J. Doornbos</b>	<b>1</b>
88-K19 - Layout of secondary beams at kaon	1
<b>A. Haynes</b>	<b>1</b>
TRI-DN-77-19 - Program: TRRW:FOILTEMP (\$Source TRMF:FOILTEMPRUN)	1
<b>A.K. Mitra/G. Blaker</b>	<b>1</b>
TRI-DN-91-11 - Input matching of power amplifiers of main rf system of TRIUMF cyclotron	1
<b>E.W. Blackmore/D. Hutcheon</b>	<b>1</b>
TRI-DN-95-08 - Proposal for a proton irradiation facility using beam line 1B	1
<b>G. Clark</b>	<b>1</b>
88-K26 - TRIUMF shielding cost experience & KAON Factory experimental hall shielding	1
<b>R. Abegg/I. Thorson</b>	<b>1</b>
TRI-DN-87-18 - General description of beam line 4B	1
<b>T.A. Enegren</b>	<b>1</b>
88-K28 - RF Booster cavity: biasing ferrite in radial direction	1
<b>R. Abegg/R. Schubank</b>	<b>1</b>
TRI-DN-87-17 - In-beam polarimeters in BL4A and BL4B	1
<b>B. Frammery</b>	<b>1</b>
88-K30 - Timing for the KAON Factory	1
<b>A. Hurst</b>	<b>1</b>
TRI-DN-85-35 - Image processing for TRIUMF's periscope system	1
<b>I.B. Enchevich/V.A. Konovalov/B.P. Murin/V.V. Paramonov/R.L. Poirier</b>	<b>1</b>
TRI-DN-94-15 - Experiments with the magnetron-type varactor	1

<b>R. Baartman/H. Schonauer</b>	<b>1</b>
TRI-DN-86-15 - RAMA: A computer code useful for designing synchrotrons	1
<b>[W. Bothe]</b>	<b>1</b>
88-K38 - [Driver dipole circuits] -Cled November 1991 please see KAON office for copies)	1
<b>R. Baartman/R. Taft</b>	<b>1</b>
TRI-DN-83-21 - ISIS computer modelling: modifications to SPEAM and introducing PARMILA	1
<b>T. Eaton</b>	<b>1</b>
88-K41 - A target design study for the fast extracted 10 Hz beam	1
<b>C.J. Kost/C. Wiender</b>	<b>1</b>
TRI-DN-87-34 - The PACMAN magnet as a large acceptance spectrometer with moderate momentum re	1
<b>I.M. Thorson</b>	<b>1</b>
TRI-DN-89-07 - Thermal neutron activation	1
<b>C.P. Ponting</b>	<b>1</b>
TRI-DN-87-10 - A comparative analysis of semiconductor nuclear-particle detectors	1
<b>D. Fiander/Wait/Barnes</b>	<b>1</b>
88-K45 - Advantages of center feeding the deflector plates for the 1 MHz chopper system	1
<b>R. Bendall</b>	<b>1</b>
TRI-DN-73-04 - Air cooling of D.C. power supply cabinet	1
<b>R.Servranckx et at.</b>	<b>1</b>
88-K48 - In search of a Booster lattice	1
<b>R. Blaby/J.J. Burgerjon</b>	<b>1</b>
TRI-DN-77-07 - TNF readouts and interlocks	1
<b>H. Schonauer</b>	<b>1</b>
88-K50 - Addition of transverse space charge to a ACCSIM code	1
<b>G.D. Wait/L.E. Moritz</b>	<b>1</b>
TRI-DN-82-01 - A neutron monitor readout system	1
<b>CPlanner/ G Rees/ GStinson</b>	<b>1</b>
88-K52 - A to B ring transfer and B ring fast extraction	1
<b>G.D. Wait/M.J. Barnes</b>	<b>1</b>
TRI-DN-95-18 - A 250kA pulser for BNL EXP 889	1
<b>V. Rodel et at.</b>	<b>1</b>
88-K54 - Voltage build-up in the transmission line of the 1 MHz chopper	1
<b>R. Burge/W.R. Rawnsley</b>	<b>1</b>
TRI-DN-84-65 - 0653 time of flight amplifier	1
<b>RServranckx/Wienands</b>	<b>1</b>
88-K58 - Report on lattices for extender ring of the KAON factory	1
<b>G.E. McMichael/B.G. Chidley/R.M. Hutcheon</b>	<b>1</b>
TRI-DN-85-33 - Conceptual design study for the proposed ISOL post-accelerator at TRIUMF	1
<b>DGill</b>	<b>1</b>
88-K61 - Superconducting technology at kaon	1
<b>Controls Group</b>	<b>1</b>
TRI-DN-70-59 - TRIUMF control device numbering system	1
<b>I.N. Birukov/I.V. Gonin/ D.V. Gorelov/A.N. Iljinov/V.A. Moiseev/P.N. Ostroumov/A.V. Tiunov</b>	<b>1</b>
TRI-DN-95-16 - Recent studies of LINAC for production of radioactive beams	1
<b>R. Helmer</b>	<b>1</b>
TRI-DN-95-37 - Addendum to the safety report for the thermal neutron facility	1

<b>G.Wait et al.</b>	<b>1</b>
88-K70 - A 1 MHz beam chopper for the KAON factory	1
<b>D. Belton/C. Moisan/ J.G. Rogers</b>	<b>1</b>
TRI-DN-95-33 - On the impact of an additional top readout unit in position encoded PET detectors	1
<b>B. Zotter</b>	<b>1</b>
88-K72 - Stability of a hollow beam in longitudinal phase space	1
<b>R. Hohbach and TRIUMF RF-Team</b>	<b>1</b>
TRI-DN-97-26 - The cylindrical ceramic window for the 92 MHz rf-booster. Breakdown", " analysis and p	1
<b>I.R. Heath</b>	<b>1</b>
TRI-DN-74-05 - Shim block welding	1
<b>R. Hohbach/R.L. Poirier</b>	<b>1</b>
TRI-DN-97-27 - Energy modulator rf cavity for the parity experiment	1
<b>D.J. Orrell</b>	<b>1</b>
88-K80 - Designs for a Driver ring quadrupole	1
<b>R. Hohbach</b>	<b>1</b>
TRI-DN-81-11 - Proposal for a 1:10 scale model for TRIUMF rf cavity	1
<b>D.Boussard</b>	<b>1</b>
88-K83 - Study of feedback system against coupled bunch instabilities in the Booster	1
<b>R. Kuramoto/G.S. Clark</b>	<b>1</b>
TRI-DN-04-21 - A swaged ceramic water insulator	1
<b>M.BarnesfGWait</b>	<b>1</b>
88-K85 - Effect of thyatron displacement current upon kick rise-time in magnetic kickers.	1
<b>R. Lakowski/G.H. Mackenzie</b>	<b>1</b>
TRI-DN-74-24 - An analytic function to describe the change in $\overline{B}R$ (R) produced by a trim coil	1
<b>A. Papash</b>	<b>1</b>
TRI-DN-93-05 - TR13 cyclotron extraction studies	1
<b>R. Laxdal/E. Rossen</b>	<b>1</b>
TRI-DN-88-43 - Placement of devices for H- extractionn	1
<b>T.A. Hodges</b>	<b>1</b>
88-K92 - Beam heating of vacuum pipe components	1
<b>R. Laxdal/R. Lee/G.H. Mackenzie</b>	<b>1</b>
TRI-DN-82-10 - Turn compaction for pulsed extraction: computer studies	1
<b>E.W. Blackmore/C. Kopetski</b>	<b>1</b>
TRI-DN-02-16 - Use of the TNF neutron beam for radiation damage studies (rev. pg 3/Sep02)	1
<b>R. Laxdal/V. Pacak</b>	<b>1</b>
TRI-DN-81-14 - Preliminary results of the new artificial leak system	1
<b>E. DeVita/D. Evans/P.A. Reeve</b>	<b>1</b>
TRI-DN-84-70 - Automated computer controlled magnetic field surveying system	1
<b>G.F. Knoll/T.F. Knoll/A. Levin/E. Hoskinson/C. Moisan</b>	<b>1</b>
TRI-DN-96-26 - DETECT a program for modeling optical properties of scintillators -- User manual for DET	1
<b>D.G.Martin/G.S.Clark</b>	<b>1</b>
89-KI03 - The survey and alignment of the KAON factory project	1
<b>R. Lueck/D. Pearce</b>	<b>1</b>
TRI-DN-74-06 - Angular position of the cyclotron extraction ports and exit horns	1
<b>Spinney/Stanford/Zach</b>	<b>1</b>
90-KI06 - Engineering of cyclotron beam extraction equipment	1
<b>A.C. Morton/C. Mark</b>	<b>1</b>

TRI-DN-07-10 - Sampling coupons for the detection of removable contamination within the ISAC target	1
<b>T. Hodges /Langstaff/Lenckowski</b>	<b>1</b>
90-K110 - Laboratory prototype of rotating immersed target	1
<b>R. Pavan</b>	<b>1</b>
TRI-DN-06-14 - Seismic loading on extension legs for the TSG shielded detector station	1
<b>R. Laxdal et al.</b>	<b>1</b>
90-K113 - Tolerances associated with the fields of extraction devices	1
<b>R. Poirier</b>	<b>1</b>
TRI-DN-73-08 - Determining the resonator frequency	1
<b>E. Hoskinson/A. Levin/C. Moisan</b>	<b>1</b>
TRI-DN-96-28 - BUILDER a high level language interface to DETECT for the design of scintillation detector	1
<b>R. Servranckx</b>	<b>1</b>
TRI-DN-88-03 - New lattice for C", "D", " and E rings	1
<b>N. Wilkinson</b>	<b>1</b>
90-K118 - VMEbus and related real-time technology	1
<b>G.H. Mackenzie/C. Meade</b>	<b>1</b>
TRI-DN-72-10 - The vertical equilibrium orbit option (modified CYCLOP) Addendum 1: Changes to CYCLOP	1
<b>I.M. Thorson</b>	<b>1</b>
90-K124 - Neutron radioactivation of proton accelerator components and concrete enclosures	1
<b>R. Ward</b>	<b>1</b>
TRI-DN-95-26 - Electric field analysis of C.D.S. tandem accelerator	1
<b>V. Paramonov et al.</b>	<b>1</b>
90-K128 - Capacitors for the beam pipe rf shield: design requirements	1
<b>R. Willoner/G.H. Mackenzie</b>	<b>1</b>
TRI-DN-71-42 - A restriction on the maximum value of the vertical focussing frequency	1
<b>G.D. Wait et al.</b>	<b>1</b>
90-K131 - Safety considerations for the prototype 1 MHz beam chopper for the KAON Factory	1
<b>A.I. Issinsky/N.A. Titov</b>	<b>1</b>
TRI-DN-90-01 - A method of manipulating beam polarization moments	1
<b>S.V. Serezhnikov</b>	<b>1</b>
90-K134 - The anticipated environmental effect of airborne radioactivity releases from the TRIDMF-KAON	1
<b>A.J. Otter/H. Sprenger</b>	<b>1</b>
TRI-DN-75-01 - A note on the design of the bellows between the liquid deuterium target and the vacuum chamber	1
<b>I. Thorson/Craddock</b>	<b>1</b>
90-K137 - Pulsed neutron facilities and the KAON Factory	1
<b>R.B. Moore</b>	<b>1</b>
TRI-DN-74-09 - Combination magnet survey system	1
<b>A. Otter/Curiston</b>	<b>1</b>
90-K139 - Breakdown voltage measurements on a 'B'-stage epoxy resin tape	1
<b>D. Evans/E. DeVita</b>	<b>1</b>
TRI-DN-87-38 - Portable automated computer controlled magnetic field surveying system	1
<b>E. Hoskinson/C. Moisan/T. Levin</b>	<b>1</b>
TRI-DN-96-27 - GRIT a toy gamma-ray interaction tracker (version 4.0)	1
<b>R.C. Gupta/J.T. Gleeson/J.I.M. Botman</b>	<b>1</b>
TRI-DN-84-46 - AUTO PLOT	1
<b>C. Parfitt</b>	<b>1</b>
90-K146 - Thick collimator simulation	1



<b>R.C. Gupta/M.K. Craddock</b>	<b>1</b>
TRI-DN-83-35 - Fast extraction from the 30 GeV synchrotron	1
<b>M.J. Barnes &amp; G.D. Wait</b>	<b>1</b>
90-K148 - Interaction of stray capacitance, storage cable delay, and deflector plate length for the 1 MHz	1
<b>R.D. Merritt</b>	<b>1</b>
TRI-DN-88-40 - Design specification - extraction probe 2C	1
<b>C. Haddock/Tong</b>	<b>1</b>
90-K150 - Dipole field integral measurement technique utilizing the Faraday rotation effect in polarizat	1
<b>D. Gill/S. Martin/R. Sobie</b>	<b>1</b>
TRI-DN-81-10 - Design specifications of the QQD", " a low-energy pion spectrometer	1
<b>F. W. Jones</b>	<b>1</b>
90-K152 - Collimators in ACCSIM	1
<b>R.E. Blaby/J.J. Burgerjon/T.A. Hodges/I.M. Thorson/T. Emmens</b>	<b>1</b>
TRI-DN-82-06 - TNF cooling system	1
<b>G.D. Wait/Barnes</b>	<b>1</b>
90-K156 - 150 kW tetrode version of the prototype 1 MHz chopper.	1
<b>D. Heywood</b>	<b>1</b>
TRI-DN-78-18 - 0518-64 channel current scanner	1
<b>G.D. Wait/Barnes</b>	<b>1</b>
90-K159 - Grid pulser circuit for the prototype Mhz chopper	1
<b>R.E. Laxdal/G.H. Mackenzie</b>	<b>1</b>
TRI-DN-81-05 - Measuring the permeability of slightly magnetic materials	1
<b>N. A. Wilkinson</b>	<b>1</b>
90-K164 - Message based network communication between heterogeneuos systems ( Revision 2.0)	1
<b>R.E. Laxdal/K. Lucas/G.H. Mackenzie/L. Root/A. Papash</b>	<b>1</b>
TRI-DN-94-18 - Preparation and test of magnetic channel 3	1
<b>Baartman/Shaposhnikova</b>	<b>1</b>
90-K168 - Longitudinal coupled bunch instabilities in the Booster	1
<b>R.E. Marek</b>	<b>1</b>
TRI-DN-76-14 - Ventilation of service annex level 264	1
<b>M.J. Barnes/Wait</b>	<b>1</b>
90-K170 - Suppression of the effect of thyatron displacement current upon the field in the 30 ohm pro	1
<b>R.E. Marek/A.J. Otter</b>	<b>1</b>
TRI-DN-75-02 - Strain measurements on TRIUMF support structures following damage by liquid nitrogen	1
<b>A.K. Mitra/N. Mehboob</b>	<b>1</b>
TRI-DN-04-07 - RF simulation of TRIUMF cyclotron with HFSS9	1
<b>R.G. Battersby</b>	<b>1</b>
TRI-DN-04-11 - ISAC-II oxygen sensor system	1
<b>J.B. Pearson et al.</b>	<b>1</b>
90-K176 - Magnetic channel (MCI) circulating beam test experimental report fall shutdown, 1990	1
<b>G.R. Smith</b>	<b>1</b>
TRI-DN-90-05 - CHAOS design note	1
<b>J.M.S. Kim</b>	<b>1</b>
90-K178 - SPICE simulation of resonant-type Booster ring magnet power supply	1
<b>A. Mitra/A. Chan</b>	<b>1</b>
TRI-DN-98-16 - Design considerations and measurements of a 35 MHz spiral re-buncher cavity	1
<b>S. R. Koscielniak</b>	<b>1</b>

91-K183 - Rf system aspects of longitudinal beam control. current regime)	1
<b>R.I. Gadd/R.E. Blaby</b>	<b>1</b>
TRI-DN-84-01 - Development of a double walled hydrogen gas target	1
<b>N. Golubeva et al.</b>	<b>1</b>
91-K188 - A racetrack lattice with missing magnets for the Booster	1
<b>R.J. Louis/C. Meade</b>	<b>1</b>
TRI-DN-71-03 - Programs PINWHEEL and EOALC [Feb 1] [addendum Aug 27]	1
<b>[J. King]</b>	<b>1</b>
91-K190 - [y'ed November 1991 please see KAON office for copi~s]	1
<b>R.J. Louis/C. Meade/H. Houtman</b>	<b>1</b>
TRI-DN-71-06 - Relaxation program", " ALLPLOT and TAPE (Addendum Nov 5)	1
<b>N.1. Golubeva et al.</b>	<b>1</b>
91-K194 - Two methods of polarization conservation in synchrotrons	1
<b>R.J. Vader</b>	<b>1</b>
TRI-DN-79-21 - Beam phase measurements at TRIUMF	1
<b>E.G. Auld/D.A. Evans</b>	<b>1</b>
TRI-DN-74-14 - NMR reference for the TRIUMF cyclotron magnet	1
<b>R.R. Johnson</b>	<b>1</b>
TRI-DN-87-08 - Proton radiation dose	1
<b>A.M. Sekulovich et al.</b>	<b>1</b>
92-K205 - Comparison of PE2D eddy current calculations with thermocouple and hall probe measurem	1
<b>R.R. Johnson/D. Heywood</b>	<b>1</b>
TRI-DN-78-12 - Secondary channel control using microprocessors	1
<b>N. Wilkinson/Ludgate</b>	<b>1</b>
92-K211 - Requirements for the KAON Factory Central Control System Factory Processor Operating Sys	1
<b>R.T. Lee</b>	<b>1</b>
TRI-DN-89-32 - Calculation on the electro-magnetic dissociation of H-\$	1
<b>D. Michaud</b>	<b>1</b>
92-K216 - TRIUMF standard version of DIMAD on the DECstation (M.K. Craddock s.s.)	1
<b>S. Fang</b>	<b>1</b>
TRI-DN-93-16 - DSP56001 based digital PID controller	1
<b>A. Otter/Pickup</b>	<b>1</b>
93-K223 - Fabrication tests on polyimide resin samples	1
<b>S. Foster/L. Root</b>	<b>1</b>
TRI-DN-74-32 - SPEAMTEK - an interactive version of Speam	1
<b>I. Enchevich/Poirier</b>	<b>1</b>
93-K225 - Magnetic parameter ofthe perpendicularly biased ferrite tuned kaon booster cavity	1
<b>S. Kadantsev/M. Mouat</b>	<b>1</b>
TRI-DN-93-32 - The DECwindows/motif version of the I4 laser control program	1
<b>A. Iliev/Wienands</b>	<b>1</b>
93-K230 - Four-cell straight section optics for a racetrack booster	1
<b>D. Joffe</b>	<b>1</b>
TRI-DN-94-23 - Computer control for a cavity perturbation measurement system	1
<b>J. Drozdoff/D. Dale</b>	<b>1</b>
TRI-DN-02-21 - A 'single point of failure' evaluation of the TRIUMF 500 MeV accelerator facility radiation	1
<b>A. Chatwin-Davies/R. Pavan/ K. Buckley</b>	<b>1</b>
TRI-DN-06-09 - An 180 H2O target design and thermal model with vapour reflux volume	1

<b>J. Drozdoff/J. Braun/N. Giffen</b>	<b>1</b>
TRI-DN-05-25 - ISAC safety system -- functional requirements", " conceptual design", " and detailed design	1
<b>S. Koscielniak</b>	<b>1</b>
TRI-DN-95-13 - Foundations of and revisions to longitudinal single bunch coherent instability theory with	1
<b>V. Kuznetsov et al.</b>	<b>1</b>
94-K248 - Summary of results of the vactor development program at TRIUMF-Vancouver in collaboration	1
<b>D. Kaltchev/S. Koscielniak</b>	<b>1</b>
TRI-DN-95-30 - Effect of gradient perturbations upon tune and beta-function of the TRIUMF ISAC RFQ a	1
<b>M. Zach / A. Prochazka</b>	<b>1</b>
TRI-DN-70-14 - Transmission line and coupling loop preliminary tests	1
<b>S. Muralithar</b>	<b>1</b>
TRI-DN-86-43 - Vacuum outgassing of an epoxy-fiberglass wound prototype magnetic channel	1
<b>M.J. Linton / C. Meade / M. Merchant / P. Bennett</b>	<b>1</b>
TRI-DN-70-54 - Main magnet code description (Addendum 1-6) Spanning Sep 29/70 to Sep/74	1
<b>S. Oraas</b>	<b>1</b>
TRI-DN-70-46 - The MAGNT program	1
<b>E.L. Mathie/D. Healey/S. Dunbar</b>	<b>1</b>
TRI-DN-91-06 - CHAOS polarized target (CPT) local holding field -- superconducting coil", " indirect cooling	1
<b>D. Lemon/M.K. Craddock</b>	<b>1</b>
TRI-DN-71-41 - Trim coil interpolation - the 'INTERIM' code	1
<b>M.J. Barnes / P.A. Reeve / N.A. Wilkinson</b>	<b>1</b>
TRI-DN-94-26 - Magnet survey system frames of reference", " co-ordinate transformations", " and default	1
<b>S. Yen/Z. Hartry</b>	<b>1</b>
TRI-DN-96-21 - Determination of the first order matrix elements of the MRS	1
<b>J. Drozdoff/L. King</b>	<b>1</b>
TRI-DN-02-04 - The TR-30-2 accelerator facility access control system	1
<b>E.W. Blackmore/G. Dutto</b>	<b>1</b>
TRI-DN-71-22 - Beam diagnostics in the centre region cyclotron	1
<b>S.R. Koscielniak/R.G. Siemens</b>	<b>1</b>
TRI-DN-89-13 - GRAFIX user guide (revised Feb/90)	1
<b>(blank)</b>	
88-K59 - [(jed November 1991 please see KAON office for copies)]	
90-K119 - A versatile rf cavity mode damperJ W.R. Smythe	
90-K167 - [Jed. November 1991 -please see KAON office for copies]	
91-K196 -	
91-K199 -	
92-K212 -	
92-K220 -	
93-K244 -	
93-K245 -	
93-K246 -	
K201 -	
TRI-DN-00-06 -	
TRI-DN-00-21 -	
TRI-DN-00-22 -	
TRI-DN-00-26 -	
TRI-DN-01-03 -	

TRI-DN-01-06 -	
TRI-DN-01-07 -	
TRI-DN-01-09 -	
TRI-DN-02-12 -	
TRI-DN-02-13 -	
TRI-DN-03-02 -	
TRI-DN-03-14 -	
TRI-DN-03-15 -	
TRI-DN-03-16 -	
TRI-DN-03-21 -	
TRI-DN-04-09 -	
TRI-DN-04-14 -	
TRI-DN-04-15 -	
TRI-DN-05-20 - [not yet received]	
TRI-DN-06-03 - [no file on docushare]	
TRI-DN-06-13 - [no file on docushare]	
TRI-DN-07-20 -	
TRI-DN-70-23 -	
TRI-DN-70-26 -	
TRI-DN-70-27 -	
TRI-DN-70-28 -	
TRI-DN-70-29 -	
TRI-DN-70-30 -	
TRI-DN-70-48 - reissued as TRI-DN-71-41	
TRI-DN-71-08 -	
TRI-DN-72-34 -	
TRI-DN-72-35 -	
TRI-DN-72-36 -	
TRI-DN-72-37 -	
TRI-DN-72-38 -	
TRI-DN-72-39 -	
TRI-DN-76-13 -	
TRI-DN-77-09 -	
TRI-DN-77-10 - Initial design of BL1A	
TRI-DN-79-15 -	
TRI-DN-79-17 -	
TRI-DN-80-03 -	
TRI-DN-81-12 -	
TRI-DN-81-18 -	
TRI-DN-82-26 -	
TRI-DN-83-34 - Nothing in binder", " no recording in index	
TRI-DN-83-46 -	
TRI-DN-83-49 -	
TRI-DN-83-50 -	
TRI-DN-84-05 -	
TRI-DN-84-06 -	
TRI-DN-84-32 -	

TRI-DN-84-37 -	
TRI-DN-84-39 -	
TRI-DN-84-53 -	
TRI-DN-84-56 -	
TRI-DN-85-04 -	
TRI-DN-85-05 -	
TRI-DN-85-09 -	
TRI-DN-85-12 -	
TRI-DN-85-15 -	
TRI-DN-85-19 -	
TRI-DN-85-29 -	
TRI-DN-85-30 -	
TRI-DN-86-02 -	
TRI-DN-86-11 -	
TRI-DN-86-13 -	
TRI-DN-86-16 -	
TRI-DN-86-22 -	
TRI-DN-86-24 -	
TRI-DN-86-29 -	
TRI-DN-86-32 -	
TRI-DN-86-34 -	
TRI-DN-86-36 -	
TRI-DN-87-05 -	
TRI-DN-87-30 -	
TRI-DN-88-15 -	
TRI-DN-88-19 -	
TRI-DN-88-21 -	
TRI-DN-88-32 -	
TRI-DN-88-33 -	
TRI-DN-88-45 -	
TRI-DN-89-02 -	
TRI-DN-89-03 -	
TRI-DN-89-15 -	
TRI-DN-89-16 -	
TRI-DN-89-17 -	
TRI-DN-89-18 -	
TRI-DN-89-31 -	
TRI-DN-90-10 -	
TRI-DN-90-27 -	
TRI-DN-91-09 -	
TRI-DN-92-12 -	
TRI-DN-92-13 -	
TRI-DN-92-21 -	
TRI-DN-92-22 -	
TRI-DN-92-23 -	
TRI-DN-92-24 -	
TRI-DN-93-23 -	

TRI-DN-94-05 -	
TRI-DN-94-10 -	
TRI-DN-94-33 -	
TRI-DN-94-36 -	
TRI-DN-95-15 -	
TRI-DN-96-05 - No note in binder (no recording in orig. index)	
TRI-DN-98-01 -	
TRI-DN-99-06 -	
TRI-DN-99-07 -	
TRI-DN-99-15 -	
TRI-DN-99-18 -	
TRI-DN-99-19 -	
TRI-DN-99-20 -	
TRI-DN-99-21 -	
TRI-DN-99-22 -	
<b>Grand Total</b>	<b>1401</b>